


The background is a solid red color. Overlaid on this are several large, stylized white line drawings of leaves. The leaves are elongated and pointed, with numerous fine, parallel lines running along their length to represent veins. They are arranged in a way that they overlap each other, creating a sense of depth and movement. The lines are clean and minimalist.

fit interiors

DESIGN FIRST.

The Line Book

DESIGN FIRST.

Il buon design è innovativo

Good design is innovative

Il buon design rende un prodotto utile

Good design makes a product useful

Il buon design è estetico, bello

Good design is aesthetic

Il buon design dura nel tempo

Good design is long-lasting

Il buon design è amico dell'ambiente


Good design is environmentally-friendly

Il buon design è il meno possibile

Good design is as little design as possible

Dieter Rams

Timeline



Gruppo P&G
è un'azienda
certificata FSC™

Gruppo P&G
is an FSC™
certified company

FSC™ definisce standard basati su principi riconosciuti di gestione responsabile delle foreste, che sono supportati da operatori attivi in campo ambientale, sociale ed economico. Per saperne di più, visita il sito www.fsc.org

La certificazione FSC™ rappresenta il principale meccanismo di garanzia sull'origine del legno o della carta. Con questa certificazione, il Gruppo P&G non solo dimostra il proprio impegno nei confronti dell'ambiente, ma sottolinea anche la sua adesione a principi di responsabilità sociale. Grazie alla certificazione FSC™, stiamo ampliando sempre di più gli articoli certificati FSC™ a catalogo, così da indirizzare le nostre politiche di acquisto verso altre organizzazioni certificate che si impegnano a loro volta a promuovere una gestione delle foreste sostenibile e a tutelare i diritti dei lavoratori. Ad oggi tutti i decorativi a catalogo degli armadi sono certificati FSC™. Spingendo l'acquisto di prodotti FSC™, attraverso i controlli che fanno gli enti di certificazione come nel caso di FSC® e la possibilità degli stakeholder di fare segnalazioni ci assicuriamo che la catena di approvvigionamento sia più equa e trasparente con la garanzia che nella fornitura non venga utilizzato lavoro minorile, lavoro forzato o altre forme di sfruttamento.

Azienda certificata FSC-C210671
Acquistando prodotti certificati FSC™
contribuisci a prenderti cura delle
foreste del mondo (www.fsc.org).

FSC™ defines standards based on recognized principles of responsible forest management, supported by stakeholders in the environmental, social, and economic sectors. To learn more, visit www.fsc.org.

FSC™ certification is the primary guarantee mechanism for the origin of wood or paper. With this certification, Gruppo P&G not only demonstrates its commitment to the environment but also reinforces its adherence to principles of social responsibility. Thanks to FSC™ certification, we are continuously expanding the range of FSC™ certified products in our catalog, directing our purchasing policies toward other certified organizations that are equally committed to promoting sustainable forest management and protecting workers' rights. As of today, all decorative finishes in our locker catalog are FSC™ certified. By encouraging the purchase of FSC™ certified products, through audits conducted by certification bodies such as FSC™ and the ability for stakeholders to report concerns, we ensure that the supply chain remains fair and transparent. This guarantees that no child labor, forced labor, or other forms of exploitation are involved in our procurement processes.

Certified company FSC-C210671
By purchasing FSC™ certified products,
you are helping to take care of the
world's forests (www.fsc.org)



Designed and produced in Italy

Ogni nazione ha il suo marchio distintivo che caratterizza i propri prodotti e li fa risaltare per le loro caratteristiche esclusive. È così che il Made in Italy è sinonimo di eccellenza della creatività e della maestria. Uno dei settori dove questo è riconosciuto come valore consolidato e indiscutibile è il settore dell'interior design. Fit Interiors opera in questo settore, ormai da diversi anni, attraverso una propria struttura manifatturiera e produttiva in Italia, nello stabilimento di Longiano, in Emilia Romagna.

Nata nel 1978 come azienda di produzione di mobili, negli anni successivi ha creato una struttura commerciale con la nascita del brand e la commercializzazione dei suoi prodotti. Oggi è leader nel mercato dell'arredamento per palestre, centri benessere, SPA e più in generale nelle aree di ricevimento e spogliatoio per hotel, aziende, cliniche, ospedali, università e scuole. Il suo obiettivo è quello di portare in tutto il mondo l'eccellenza del design e della qualità produttiva italiana in questi settori, con un'attenzione particolare ad ogni necessità di personalizzazione dell'utente.

Each country has its own distinctive brand that characterises its products and makes them stand out for their exclusive characteristics. This is how Made in Italy is renowned for excellence in creativity and craftsmanship. And most definitely so, in the field of interior design. Fit Interiors has been active in this business for many years now, with its factory located in Longiano, Italy. Founded in 1978 as a general furniture manufacturer, the company

then created a sales structure, and started marketing its products under the Fit Interiors brand. Today, it is a leading brand in health club and spa decoration, and more generally, in reception area and changing room furniture for hotels, corporate, clinics/hospitals, schools/universities. Our mission is to spread Italian design and production excellence everywhere, with specific focus on customisation and personalisation.

Palestre, Golf Club e Centri Benessere Gyms, Health and Golf Clubs



Musei e Scuole Museums and Schools



Hotel e SPA Hotel and SPA



Uffici e Aziende Offices and Corporate



index

12	Banconi Reception e Bar Reception and Bar Counters
64	Armadi e Mobili Lockers and Furniture
176	Panche Divani, Pouf e Vasi Benches, Sofas, Pouffs and Vases
232	Specchi Mensole e Lavelli Mirrors Shelves and Sinks
278	Box Doccia e Toilet Shower and Toilet Cubicles
296	The Swatch Book


indice alfabetico / alphabetical index

Accessories	168	Next	106
Additions	169	Nexus S	290
Alpha	37	Nexus T	292
Alter	173	Nordic	16
Anima	246	Norma	122
Aster	256	Numbers	161
Atelier	66	Numbers sofa	220
Athena	150	Oasis	32
Atlas	203	Opera	40
Aura	204	Panka	178
Base	273	People	76
Bingo	222	People T	84
Birillo	228	Perla	230
Block	274	Pilar	231
Boise	170	Pony	214
Circe	262	Puff	224
Collective	128	Round	188
Combo	210	Rubio	274-277
Corner	170	Saturno	268
Division	136	Shape	275
Dot Dot	250	Sharp	234
Eha-mat	294	Simple	276
Etoile	114	Square	28
Factory	92	Start Up	48
Frame	252	Studio S	282
Free	175	Studio T	288
Futura	100	Systema	156
Futura wood	96	Task	175
Halo	258	Tecno	196
Handles	162	T-Rack	171
Hello	172	Traffic	218
Jump	272	Uniko	58
Jupiter	266	Universal	50
Just	269	Up	193
Lingotto	208	Vector	44
Locks	164	Vega	22
Luna	221	Vela	174
Master	144	Vesta	267
Master kid	148	Velvet	244
Metropolis	54	Vemo	62
Mobi	63	Voga	206
Modus	240		

Banconi Reception e Bar Reception and Bar Counters

16	22	28	32	36
Nordic	Vega	Square	Oasis	Alpha
				
40	44	48	50	54
Opera	Vector	Start Up	Universal	Metropolis
				

58	62	63
Uniko	Vemo	Mobi
		



Nordic

> Alberto Manzoni



Bancone modulare con doghe in massello di frassino, struttura in MFC sp.18 mm. Top, piano e fascia inferiore sp.36 mm, con led a luce naturale 4000 K. Piano di lavoro con n°2 passacavi in metallo.

Modular counter with solid ash slats, MFC structure 18 mm thickness. Top, worktop and lower band 36 mm thickness with 4000 K natural white LED light. Worktop has 2 metal cable glands.



Struttura / Structure

Finiture standard
Standard finishes




Doghe / Slats

Massello frassino
Solid ash wood




Piano di lavoro / Worktop

Finiture
Finishes




Alcune possibili combinazioni
Possible compositions





Sammen

location: Fantoft campus, Norway
project: Fit Interiors



Vega

> arch. Alessio Cuzzolin



Fabrique Fitness Club

location: Paris, France
project: Fit Interiors

Bancone modulare in MFC e laminato con luci LED.

Modular counter made of MFC and laminate with LED lighting



Struttura / Structure

Finiture standard
Standard finishes




THE SWATCH BOOK

Piano di lavoro / Worktop

Finiture
Finishes




Alcune possibili combinazioni
Possible compositions





Starfit

location: Benghazi, Lybia
project: arch. Mohamed Agila



Square




One Training

location: Rotkreuz, Switzerland
project: Fit Interiors

Bancone modulare in MFC e laminato con luci LED.

Modular counter made of MFC and laminate with LED lighting




Struttura / Structure

Finiture standard
Standard finishes




Piano di lavoro / Worktop

Finiture
Finishes




Alcune possibili combinazioni
Possible compositions



Audace

location: Lecco, Italy
project: Fit Interiors



Oasis



Bancone modulare con rete stirata verniciata nero opaco, struttura in MFC sp.18 mm nero opaco. Top e fascia inferiore sp.18 mm con led a luce fredda 6000 K. Piano di lavoro in MFC sp. 30 mm nero opaco con n°2 passacavi in metallo.


Modular counter with matt black painted stretched mesh, 18 mm thick matt black MFC structure. Top and lower band 18 mm thick with 6000 K cold light LEDs. Worktop in 30 mm thick matt black MFC with 2 metal cable glands.




Struttura / Structure
Finiture
Finishes
Matt Black
Wax

Piano di lavoro / Worktop
Finiture
Finishes
Matt Black
Wax

Telaio e rete metallica / Frame and metal mesh
Verniciatura
Painted
Nero
Black



Alcune possibili combinazioni
Possible compositions





Alpha



6 Padel

location: Milan, Italy
project: Fit Interiors

Bancone modulare in MFC con luci LED.

Modular counter made of MFC with LED lighting



Struttura / Structure




Finiture standard
Standard finishes






THE SWATCH BOOK

Piano di lavoro / Worktop

Finiture
Finishes



Alcune possibili combinazioni
Possible compositions





MoveMed

location: Milan, Italy
project: Antitetico

Opera



Bancone modulare con fronte e lati in MDF e legno a doghe, struttura in MFC sp.18 mm. Top, piano di lavoro colore nero, top con led a luce naturale 4000 K.

Modular counter with front and sides in MDF and slatted wood, structure in MFC 18 mm th. Top and worktop in black color. Top with LED, natural light 4000 K.



Struttura / Structure

Finiture
Finishes



Black

Fronte / Front

Legno a doghe
Slatted wood




Brown

Piano di lavoro / Worktop


Finiture
Finishes




Matt Black
Wax




Alcune possibili combinazioni
Possible compositions



A



B




Vector



Bancone modulare in MFC con luci LED.

Modular counter made of MFC with LED lighting



Struttura / Structure

Finiture standard
Standard finishes



THE SWATCH BOOK

Piano di lavoro / Worktop

Finiture
Finishes




D143PS30
Grey


6577ST
Cashmere

Matt Black
Wax


White Wax



1880




2780




760


Alcune possibili combinazioni
Possible compositions




A



B



C



Start Up



Start up è un nuovo modo di intendere il servizio bar. Un'unità essenziale, che integra tutti gli elementi indispensabili al funzionamento di un locale. Fronte e retro compongono un servizio bar basilare, personalizzabile, facile e rapido da installare, che rende accessibile, a chi lo desidera, la possibilità di aprire il proprio locale.


Start Up is a new concept for bar service. An essential unit that integrates all the key elements needed to run a venue. Front and back sections create a basic, customizable bar setup that is quick and easy to install, making it possible for anyone who wishes to open their own place.



Struttura / Structure

Pannello frontale
Front panel

Bianco lucido	Giallo lucido	Nero lucido	Rosso lucido	Salvia	Oliva
Petrolio	Stromboli	Muschio	Papiro	Piombo	Bordeaux





Sin City Boxing

location: Amsterdam, Holland
project: Eazz

Banco Reception realizzato con struttura in MFC/multistrati rivestita da laminato Fenix o da lastra ceramica con finitura marmo naturale. Quest'ultimo materiale ha una superficie igienica idonea anche al contatto con alimenti, resistente a funghi e muffe e alle macchie. Led a luce naturale 4000 K che illumina lo zoccolino.

Reception counter with MFC/plywood structure covered with Fenix laminate or covered with ceramic slab with natural marble finish, the material has a hygienic surface suitable for food contact, resistant to fungus and mould and stains. Natural LED light 4000 K for the skirting board.



Rivestimento / Covering

Ceramica
Ceramic



Calacatta
Gold
polished



Noir Desir
polished

Fenix



0032
White



0720
Black




0724
Grey


Piano di lavoro / Worktop

Finiture
Finishes



D143PS30
Grey





Metropolis

> Alberto Manzoni



Active Training Lab

location: Teramo, Italy
project: arch. Alejandro Bozzi

Bancone realizzato con struttura e piano lavoro in nobilitato da 36 mm rivestito in laminato. Bancalina decorativa composta da trave HEA in ferro (lunghezza max 2000 mm).

Reception counter with laminated and MFC structure 36 mm thickness, with central top consisting of iron HEA beam (max. lenght 2000 mm).



Struttura e piano di lavoro / Structure and worktop

Finiture standard
Standard finishes



THE SWATCH BOOK

Top / Top

Ferro
Iron






Grezzo
Raw




Ral 1012
Lemon
Yellow



Ral 3020
Red






> arch. Franco Scaglia



Bancone singolo o multiplo in MFC, rivestito in materiali diversi e luci LED (4000 K) in basso. Elemento basso di giunzione in lamiera di acciaio piegata da 3 mm, con trattamento cataforesi.

Single or multiple counter, made of MFC in various materials, with LED lights (4000 K) at the bottom. Low junction element in 3 mm bent metal sheet, with cataphoresis treatment.



Bancone / Counter

Finiture standard
Standard finishes

THE SWATCH BOOK

Metallo
Metal

Calamina

Corten

Krion


White

Fenix

0032
White

0720
Black

0724
Grey





Elemento di giunzione / Junction cabinet

Acciaio
Steel

7021
Dark Grey

9010
White






Vemo

Mobili per interno reception con ripiani, ante e cassetti in MFC. Zoccolo in tre colori: argento, nero, bianco.


Ante, cassetti, cassa / Doors, drawers, frame

Finiture
Finishes




VEMO1-76-20
VEMO1-90-20

L/W 450
P/D 510
H 740-880




VEMO2-76-20
VEMO2-90-20

L/W 450
P/D 510
H 740-880




VEMO3-76-20
VEMO3-90-20

L/W 450
P/D 510
H 740-880




VEMO3PC-76-20
VEMO3PC-90-20

L/W 450
P/D 510
H 740-880




VEMO4-76-20
VEMO4-90-20

L/W 450
P/D 510
H 740-880




VEMO5-76-20
VEMO5-90-20

L/W 450
P/D 510
H 740-880




VEMO6-76-20
VEMO6-90-20

L/W 450
P/D 510
H 740-880



VEMO7-76-20
VEMO7-90-20

L/W 450
P/D 510
H 740-880



REPOR

L/W 800 max
H 1000 max


Furniture for inside-counter, with shelves, doors and drawers in MFC. Skirting board in three colors: silver, black, white.

Mobi

Mobili per interno reception con ripiani, ante e cassetti in MFC. Furniture for inside-counter, with shelves, doors and drawers in MFC.

Ante, cassetti, cassa / Doors, drawers, frame

Finiture
Finishes




MOBI1

L/W 450
P/D 550
H 674




MOBI2

L/W 450
P/D 550
H 674



MOBI3

L/W 450
P/D 550
H 674



CASR

L/W 480
P/D 530
H 607

Armadi e Mobili Lockers and Furniture

66

Atelier



76

People



84

People T



92

Factory



96

Futura wood



100

Futura



106

Next



114

Etoile



122

Norma



128

Collective



136

Division



144

Master



148

Master kid



150

Athena



156

Systema



161

Numbers



162

Handles




164

Locks



168

Accessories



169

Additions



170

Corner



170

Boise



171

T-Rack



172

Hello



173

Alter



174

Vela



175

Task



175

Free





Aura Fitness Lounge & Spa

location: Castione, Switzerland
project: Studio Bulgarelli

Caratteristiche

- Armadietti a colonna singola, altezza totale con lo zoccolo 2170 mm
- Armadio realizzato con pannelli in MFC spessore 18 mm bordati in ABS con colla poliuretanica
- Griglie di ventilazione
- Barra appendiabiti o gancio per vano
- Due grucce appendiabito per vano
- Piedini regolabili
- Cerniere certificate per 80.000 cicli di apertura e chiusura
- Cerniere ammortizzate
- Angolo di apertura dell'anta 155°
- Numero per anta in adesivo resinato con logo Fit Interiors
- Serratura lucchettabile

Opzioni

- Anta in MFC in varie finiture (vedi The Swatch Book)
- Struttura interna in due colori: grey o cashmere

Opzionali su richiesta

- Portadocumenti
- Specchi
- Cestello portaoggetti
- Gruccia antifurto in legno
- Presa USB
- Portascarpe
- Pannello laterale e pannello laterale con LED
- Pannello laterale curvo
- Angolo interno curvo
- Angolo esterno curvo
- Veletta superiore
- Top e top con LED
- Zoccolo in tre colori: argento, nero, bianco
- Altri tipi di serratura (pag. 164)
- Maniglie a scelta tra tutte le tipologie
- Altre tipologie di numero

Characteristics

- Single column lockers, height with skirting board 2170 mm
- Locker made of MFC panels thickness 18 mm edged in ABS with poliurethanic glue
- Ventilation grids
- Bar for coat hangers or hook for each compartment
- Two coat hangers for compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Options

- Door in MFC panel in various finishes (see The Swatch Book)
- Internal structure in two colors: grey or cashmere

Optional upon request

- Document holder
- Mirrors
- Storage basket
- Anti-theft wooden hanger
- USB socket
- Shoe rack
- End side panels or end side panels with LED
- End side panels rounded
- Rounded panel for internal corner
- Rounded panel for external corner
- Upper veil
- Top or top with LED
- Skirting board in three colors: silver, black, white
- Other types of lock (pag. 164)
- Handles to choose from all types
- Other types of number



Anta / Door

Finiture standard
Standard finishes



THE SWATCH BOOK

Struttura / Structure

Finiture
Finishes



D143PS30
Grey




6577ST
Cashmere

Maniglia / Handle


Lista pag. 162 / List p. 162

Galleries Lafayette


location: Paris, France
project: arch. Claire Jeancourt Galignani




Atelier




ANB01-23
L/W 450
P/D 550
H 2100




ANB02-23
L/W 450
P/D 550
H 2100




ANB023-23
L/W 450
P/D 550
H 2100




ANB03-23
L/W 450
P/D 550
H 2100




ATR02-23
L/W 450
P/D 550
H 2100



ANB05-23
L/W 450
P/D 550
H 2100



ANB11-23
L/W 450
P/D 550
H 2100



ANB12-23
L/W 450
P/D 550
H 2100



Luce del Lago Spa

location: Bellagio, Italy
project: arch. Silvia Giannini



People



Abada Club

location: Madrid, Spain
project: Estudio Azqueta

People

Caratteristiche

- Armadietti a colonna singola e doppia, altezza totale con lo zoccolo 2170 mm
- Armadio realizzato con pannelli in MFC spessore 18 mm bordati in ABS con colla poliuretanica
- Griglie di ventilazione
- Barra appendiabiti o gancio per vano
- Piedini regolabili
- Cerniere certificate per 80.000 cicli di apertura e chiusura
- Angolo di apertura dell'anta 155°
- Numero per anta in adesivo resinato con logo Fit Interiors
- Serratura lucchettabile

Opzioni

- Anta in MFC in varie finiture (vedi The Swatch Book)
- Struttura interna in due colori: grey o cashmere

Opzionali su richiesta

- Cerniere ammortizzate
- Portadocumenti
- Specchi
- Cestello portaoggetti
- Gruccia in plastica
- Gruccia antifurto in legno
- Presa USB
- Portascarpe
- Pannello laterale e pannello laterale con LED
- Pannello laterale curvo
- Angolo interno curvo
- Angolo esterno curvo
- Veletta superiore
- Top e top con LED
- Top inclinato
- Zoccolo in tre colori: argento, nero, bianco
- Altri tipi di serratura (pag. 164)
- Maniglie a scelta tra tutte le tipologie
- Altre tipologie di numero

Characteristics

- Single and double column lockers, height with skirting board 2170 mm
- Locker made of MFC panels thickness 18 mm edged in ABS with poliurethanic glue
- Ventilation grids
- Bar for coat hangers or hook for each compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Options

- Door in MFC panel in various finishes (see The Swatch Book)
- Internal structure in two colors: grey or cashmere

Optional upon request

- Braked hinges
- Document holder
- Mirrors
- Storage basket
- Plastic hanger
- Anti-theft wooden hanger
- USB socket
- Shoe rack
- End side panels or end side panels with LED
- End side panels rounded
- Rounded panel for internal corner
- Rounded panel for external corner
- Upper veil
- Top or top with LED
- Sloping top
- Skirting board in three colors: silver, black, white
- Other types of lock (pag. 164)
- Handles to choose from all types
- Other types of number



Anta / Door

Finiture standard
Standard finishes



THE SWATCH BOOK

Struttura / Structure

Finiture
Finishes



D143PS30
Grey



6577ST
Cashmere

Maniglia / Handle


Lista pag. 162 / List p. 162

McFit

location: Como, Italy
project: RSG




People




ANB31-23

L/W 400
P/D 550
H 2100




ANB41-23

L/W 800
P/D 550
H 2100




ANB32-23

L/W 400
P/D 550
H 2100




ANB42-23

L/W 800
P/D 550
H 2100




ANB38-23

L/W 400
P/D 550
H 2100




SANB35-23

L/W 400
P/D 550
H 2100




SANB45-23

L/W 800
P/D 550
H 2100




ANB32-APS

L/W 400
P/D 550
H 1600




ANB42-APS

L/W 800
P/D 550
H 1600




ANB39-APS

L/W 400
P/D 550
H 1600




ANB48-23

L/W 800
P/D 550
H 2100




ANB39-23

L/W 400
P/D 550
H 2100




ANB49-23

L/W 800
P/D 550
H 2100




ANB323-23

L/W 400
P/D 550
H 2100




ANB426-23

L/W 800
P/D 550
H 2100




ANB49-APS

L/W 800
P/D 550
H 1600




APS01

L/W 400
P/D 550
H 500




APS02

L/W 800
P/D 550
H 500




ANB324-23

L/W 400
P/D 550
H 2100




ANB428-23

L/W 800
P/D 550
H 2100




ANB325-23

L/W 400
P/D 550
H 2100




ANB4210-23

L/W 800
P/D 550
H 2100




ANB34-23

L/W 400
P/D 550
H 2100




ANB44-23

L/W 800
P/D 550
H 2100




ANB35-23

L/W 400
P/D 550
H 2100




ANB45-23

L/W 800
P/D 550
H 2100



SANB34-23

L/W 400
P/D 550
H 2100



SANB44-23

L/W 800
P/D 550
H 2100

People T



Factory Gym Club

location: Milan, Italy
project: Maurizio Lai Architects

Caratteristiche

- Armadietti a colonna singola e doppia, altezza totale con lo zoccolo 2170 mm
- Armadio realizzato con pannelli in MFC spessore 18 mm bordati in ABS con colla poliuretanica
- Griglie di ventilazione
- Barra appendiabiti o gancio per vano
- Piedini regolabili
- Cerniere certificate per 80.000 cicli di apertura e chiusura
- Angolo di apertura dell'anta 155°
- Numero per anta in adesivo resinato con logo Fit Interiors
- Serratura lucchettabile

Opzioni

- Anta in MFC con finiture tridimensionali
- Struttura interna in due colori: grey o cashmere

Opzionali su richiesta

- Cerniere ammortizzate
- Portadocumenti
- Specchi
- Cestello portaoggetti
- Gruccia in plastica
- Gruccia antifurto in legno
- Presa USB
- Portascarpe
- Pannello laterale e pannello laterale con LED
- Pannello laterale curvo
- Angolo interno curvo
- Angolo esterno curvo
- Veletta superiore
- Top e top con LED
- Top inclinato
- Zoccolo in tre colori: argento, nero, bianco
- Altri tipi di serratura (pag. 164)
- Maniglie a scelta tra tutte le tipologie
- Altre tipologie di numero

Characteristics

- Single and double column lockers, height with skirting board 2170 mm
- Locker made of MFC panels thickness 18 mm edged in ABS with poliurethanic glue
- Ventilation grids
- Bar for coat hangers or hook for each compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Options

- MFC door in three-dimensional finishes
- Internal structure in two colors: grey or cashmere

Optional upon request

- Braked hinges
- Document holder
- Mirrors
- Storage basket
- Plastic hanger
- Anti-theft wooden hanger
- USB socket
- Shoe rack
- End side panels or end side panels with LED
- End side panels rounded
- Rounded panel for internal corner
- Rounded panel for external corner
- Upper veil
- Top or top with LED
- Sloping top
- Skirting board in three colors: silver, black, white
- Other types of lock (pag. 164)
- Handles to choose from all types
- Other types of number

Anta / Door

Finiture tridimensionali
Three-dimensional finishes

		
FA84 Bronze Cheope	FB45 Mosaico Clear	S195 Ogijima Jiometori

Struttura / Structure

Finiture
Finishes

	
D143PS30 Grey	6577ST Cashmere


Maniglia / Handle

Lista pag. 162 / List p. 162




Virgin Active


location: Palermo, Italy
project: Studio AArchitetti Noorda Schiavon




People T




TANB31-23
L/W 400
P/D 550
H 2100




TANB41-23
L/W 800
P/D 550
H 2100




TANB32-23
L/W 400
P/D 550
H 2100




TANB42-23
L/W 800
P/D 550
H 2100




TANB38-23
L/W 400
P/D 550
H 2100




TSANB35-23
L/W 400
P/D 550
H 2100




TSANB45-23
L/W 800
P/D 550
H 2100




TANB48-23
L/W 800
P/D 550
H 2100




TANB39-23
L/W 400
P/D 550
H 2100




TANB49-23
L/W 800
P/D 550
H 2100




TANB323-23
L/W 400
P/D 550
H 2100




TANB426-23
L/W 800
P/D 550
H 2100




TANB324-23
L/W 400
P/D 550
H 2100




TANB428-23
L/W 800
P/D 550
H 2100




TANB325-23
L/W 400
P/D 550
H 2100




TANB4210-23
L/W 800
P/D 550
H 2100




TANB34-23
L/W 400
P/D 550
H 2100




TANB44-23
L/W 800
P/D 550
H 2100




TANB35-23
L/W 400
P/D 550
H 2100



TANB45-23
L/W 800
P/D 550
H 2100



TSANB34-23
L/W 400
P/D 550
H 2100




TSANB44-23
L/W 800
P/D 550
H 2100



Virgin Active

location: Palermo, Italy
project: Studio AArchitetti Noorda Schiavon

Factory



The Padel Resort

location: Como, Italy
project: arch. Vito Ruscio

Factory

Caratteristiche

- Armadietti a colonna singola, altezza totale con lo zoccolo 2170 mm
- Armadio realizzato con pannelli in MFC spessore 18 mm bordati in ABS con colla poliuretanica
- Griglie di ventilazione
- Barra appendiabiti o gancio per vano
- Piedini regolabili
- Cerniere certificate per 80.000 cicli di apertura e chiusura
- Cerniere ammortizzate
- Angolo di apertura dell'anta 120°
- Anta con telaio e rete stirata in alluminio, il tutto verniciato dello stesso colore
- Targhetta in metallo con numero perforato
- Maniglia in zama finitura cromo opaco mod. HAN 01
- Due grucce appendiabito
- Serratura lucchettabile

Opzioni

- Anta termolaccata due colori RAL: bianco e nero
- Anta termolaccata altri colori RAL (minimo 15 armadi)
- Struttura interna in due colori: grey o cashmere

Opzionali su richiesta

- Gruccia antifurto in legno
- Presa USB
- Portascarpe
- Pannello laterale e pannello laterale con LED
- Pannello laterale curvo
- Angolo interno curvo
- Angolo esterno curvo
- Velella superiore
- Top e top con LED
- Top inclinato
- Zoccolo in tre colori: argento, nero, bianco
- Altri tipi di serratura (pag. 164)

Anta in alluminio (telaio e rete)


Door in aluminum (frame and mesh)

Colori
Colors



Altri colori (minimo 15 armadi)

Others colors (15 lockers minimun)



Characteristics

- Single column lockers, height with skirting board 2170 mm
- Locker made of MFC panels thickness 18 mm edged in ABS with poliurethanic glue
- Ventilation grids
- Bar for coat hangers or hook for each compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door 120° opening angle
- Door with frame and expanded mesh in aluminum, painted in the same color
- Perforated number on a stainless steel plate
- Zamak handle in matt chrome mod. HAN 01
- Two coat hangers
- Padlock system

Options


- Door powder coated in two RAL colors: white and black
- Door powder coated in others RAL colors (15 lockers minimun)
- Internal structure in two colors: grey or cashmere

Optional upon request

- Anti-theft wooden hanger
- USB socket
- Shoe rack
- End side panels or end side panels with LED
- End side panels rounded
- Rounded panel for internal corner
- Rounded panel for external corner
- Upper veil
- Top or top with LED
- Sloping top
- Skirting board in three colors: silver, black, white
- Other types of lock (pag. 164)


Struttura / Structure

Finiture
Finishes



Maniglia / Handle

HAN 01



IND02-23

L/W 450
P/D 557
H 2100

IND04-23

L/W 900
P/D 557
H 2100

IND05-23

L/W 450
P/D 557
H 2100

IND10-23

L/W 900
P/D 557
H 2100



Trib3

location: Bristol, United Kingdom
project: Ana Belèn Melero

Futura wood

> arch. Franco Scaglia



reddot winner 2024



Palmarès Devur Club

location: Bari, Italy
project: Fit Interiors

Futura wood

Caratteristiche

- Armadietti a colonna singola e doppia, altezza totale con lo zoccolo 2170 mm
- Struttura in pannelli MFC spessore 18 mm, colore nero
- Bordatura in ABS con colla poliuretanica
- Anta in MDF e legno a doghe
- Griglie di ventilazione
- Barra appendiabiti ovale cromata
- Due grucce appendiabito di legno
- Piedini regolabili
- Cerniere certificate per 80.000 cicli di apertura e chiusura
- Cerniere ammortizzate
- Angolo di apertura dell'anta 155°
- Maniglia in alluminio verniciato, colore nero
- Numero in plexiglas spessore 10 mm a tre cifre
- Serratura a chiave (con 2 chiavi + braccialetto portachiave numerato)

Opzionali su richiesta


- Portadocumenti
- Specchi
- Cestello portaoggetti
- Presa USB
- Portascarpe
- Pannello laterale
- Veletta superiore
- Zoccolo in tre colori: argento, nero, bianco
- Altri tipi di serratura (pag. 164)

Characteristics

- Single and double column cabinets, height with skirting board 2170 mm
- Structure in 18 mm thick MFC panels, black colour
- ABS edging with polyurethane glue
- MDF door and slatted wood
- Ventilation grilles
- Chrome-plated oval clothes rail
- Two wooden coat hangers
- Adjustable feet
- Hinges certified for 80,000 opening cycles
- Braked hinges
- Door 155° opening angle
- Black painted aluminium handle
- Plexiglass number 10 mm thick with three digits
- Key lock (with 2 keys + numbered keychain bracelet)

Optional upon request

- Document holder
- Mirrors
- Storage basket
- USB jack
- Shoe rack
- Side panel
- Upper veil
- Skirting board in three colours: silver, black, white
- Other types of lock (pag. 164)



Anta / Door

Legno a doghe
Slatted wood



Brown

Struttura / Structure

Finiture
Finishes




Matt Black Wax

Maniglia / Handle

Alluminio
Aluminium



Black



Roots Training Club

location: Turin, Italy
project: Studio Teghille & Zaniboni

Futura

Caratteristiche

- Armadietti a colonna singola e doppia, altezza totale con lo zoccolo 2170 mm
- Struttura e ante in pannelli MFC spessore 18 mm
- Bordatura in ABS con colla poliuretanica
- Griglie di ventilazione
- Barra appendiabiti ovale cromata
- Due grucce appendiabito
- Piedini regolabili
- Cerniere certificate per 80.000 cicli di apertura e chiusura
- Cerniere ammortizzate
- Angolo di apertura dell'anta 155°
- Maniglia in alluminio verniciato, colore nero
- Numero in plexiglas spessore 10 mm a tre cifre
- Serratura a chiave (con 2 chiavi + braccialetto portachave numerato)

Opzioni

- Anta in MFC in varie finiture (vedi The Swatch Book)
- Struttura interna in due colori: grey o cashmere

Opzionali su richiesta

- Portadocumenti
- Specchi
- Cestello portaoggetti
- Presa USB
- Portascarpe
- Pannello laterale
- Veletta superiore
- Zoccolo in tre colori: argento, nero, bianco
- Altri tipi di serratura (pag. 164)

Characteristics


- Single and double column cabinets, height with skirting board 2170 mm
- Structure and doors in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- Ventilation grilles
- Chrome-plated oval clothes rail
- Two coat hangers
- Adjustable feet
- Hinges certified for 80,000 opening cycles
- Braked hinges
- Door 155° opening angle
- Black painted aluminium handle
- Plexiglass number 10 mm thick with three digits
- Key lock (with 2 keys + numbered keychain bracelet)

Options

- MFC door in various finishes (see the Swatch Book)
- Internal structure in two colors: Grey or Cashmere

Optional upon request

- Document holder
- Mirrors
- Storage basket
- USB jack
- Shoe rack
- Side panel
- Upper veil
- Skirting board in three colours: silver, black, white
- Other types of lock (pag. 164)



Anta / Door

Finiture standard
Standard finishes



THE SWATCH BOOK

Struttura / Structure

Finiture
Finishes



D143PS30
Grey



6577ST
Cashmere

Maniglia / Handle


Alluminio
Aluminium



Black



Next



1Rebel

location: Riyadh, Saudi Arabia
project: arch. Bilal Fayoumi/KSA, Shed Design/UK

Caratteristiche

- Armadietti a colonna singola e doppia, altezza totale con lo zoccolo 2170 mm
- Armadio realizzato con pannelli in MFC spessore 18 mm bordati in ABS con colla poliuretanica
- Griglie di ventilazione
- Barra appendiabiti o gancio per vano
- Piedini regolabili
- Cerniere certificate per 80.000 cicli di apertura e chiusura
- Cerniere ammortizzate
- Angolo di apertura dell'anta 155°
- Piastrina in metallo (con adesivo sul retro) con numero e logo Fit Interiors, per anta
- Serratura lucchettabile
- Struttura interna colore nero

Opzioni

- Anta in MFC con finiture in laminato metallico

Opzionali su richiesta

- Portadocumenti
- Specchi
- Cestello portaoggetti
- Gruccia in plastica
- Gruccia antifurto in legno
- Presa USB
- Portascarpe
- Pannello laterale
- Veletta superiore
- Zoccolo in tre colori: argento, nero, bianco
- Altri tipi di serratura (pag. 164)
- Maniglie a scelta tra tutte le tipologie
- Altre tipologie di numero

Characteristics

- Single and double column cabinets, height with skirting board 2170 mm
- Structure and doors in 18 mm thick MFC panels, ABS edging with polyurethane glue
- Ventilation grilles
- Bar for coar hangers or hook, for each compartment
- Adjustable feet
- Hinges certified for 80,000 opening cycles
- Braked hinges
- Door 155° opening angle
- Steel plate engraved with Fit Iteriors logo
- Padlock
- Internal structure in black color

Options

- MFC door in metal laminate finishes

Optional upon request

- Document holder
- Mirrors
- Storage basket
- Plastic hanger
- Anti-thief wooden hanger
- USB jack
- Shoe rack
- Side panel
- Upper veil
- Skirting board in three colours: silver, black, white
- Other types of lock (pag. 164)
- Handles to choose from all types
- Other types of numbering

Anta / Door

Finiture metallo
Metal finishes

454
Rose gold

M4522
Stainless steel

M2052
Copper

Struttura / Structure

Finiture
Finishes

Matt Black Wax

Maniglia / Handle

Lista pag. 162 / List p. 162



Jump Training Suite


location: Bari, Italy
project: Giovanni Pesce studiodesign





Darsena del Sale SPA

location: Cervia, Italy
project: Fit Interiors



Etoile



Optimo

location: Riyadh, Saudi Arabia
project: arch. Bilal Fayoumi

Etoile

Caratteristiche

- Armadietti a colonna singola e doppia, altezza totale con lo zoccolo 2170 mm
- Armadio realizzato con pannelli in MFC spessore 18 mm bordati in ABS con colla poliuretanica
- Griglie di ventilazione
- Barra per appendiabiti o gancio per vano
- Piedini regolabili
- Cerniere certificate per 80.000 cicli di apertura e chiusura
- Cerniere ammortizzate
- Anta composta da un pannello in MFC accoppiato con piano in vetro retro verniciato
- Angolo di apertura dell'anta 110°
- Pomolo in zama cromo lucido mod. HAN 02
- Numero per anta stampato interno vetro
- Serratura lucchettabile

Opzioni

- Vetro in vari colori (vedi The Swatch Book)
- Struttura interna in due colori: grey o cashmere

Opzionali su richiesta

- Portadocumenti
- Specchi
- Cestello portaoggetti
- Gruccia in plastica
- Gruccia antifurto in legno
- Presa USB
- Portascarpe
- Pannello laterale e pannello laterale con LED
- Pannello laterale curvo
- Angolo interno curvo
- Angolo esterno curvo
- Veletta superiore
- Top e top con LED
- Top inclinato
- Zoccolo in tre colori: argento, nero, bianco
- Altri tipi di serratura (pag. 164)

Characteristics

- Single and double column lockers, height with skirting board 2170 mm
- Locker made of MFC panels thickness 18 mm edged in ABS with poliurethanic glue
- Ventilation grids
- Bar for coat hangers or hook for each compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Braked hinges
- Door composed of an MFC panel coupled with a backpainted glass top
- Door 110° opening angle
- Knob in polished chrome zamak mod. HAN 02
- Number for door printed inside the glass
- Padlock system

Options

- Glass in various colors (see The Swatch Book)
- Internal structure in two colors: grey or cashmere

Optional upon request

- Document holder
- Mirrors
- Storage basket
- Plastic hanger
- Anti-theft wooden hanger
- USB socket
- Shoe rack
- End side panels or end side panels with LED
- End side panels rounded
- Rounded panel for internal corner
- Rounded panel for external corner
- Upper veil
- Top or top with LED
- Sloping top
- Skirting board in three colors: silver, black, white
- Other types of lock (pag. 164)

Anta / Door
Colori vetro
Glass colors



THE SWATCH BOOK

Struttura / Structure
Finiture
Finishes



D143PS30
Grey



6577ST
Cashmere

Maniglia / Handle
HAN 02




Aquatonic


location: Montevrain, France
project: Fit Interiors




Etoile




VANB01-25
L/W 450
P/D 555
H 2100




VANB02-25
L/W 450
P/D 555
H 2100




VANB03-25
L/W 450
P/D 555
H 2100




VANB05-25
L/W 450
P/D 555
H 2100




VANB11-25
L/W 450
P/D 555
H 2100




VANB34-25
L/W 400
P/D 555
H 2100




VANB44-25
L/W 800
P/D 555
H 2100




VANB35-25
L/W 400
P/D 555
H 2100




VANB45-25
L/W 800
P/D 555
H 2100




VANB30-25
L/W 300
P/D 555
H 2100




VANB12-25
L/W 450
P/D 555
H 2100




VANB31-25
L/W 400
P/D 555
H 2100




VANB41-25
L/W 800
P/D 555
H 2100




VANB32-25
L/W 400
P/D 555
H 2100




VANB42-25
L/W 800
P/D 555
H 2100




VANB60-25
L/W 600
P/D 555
H 2100




VANB33-25
L/W 300
P/D 555
H 2100




VANB63-25
L/W 600
P/D 555
H 2100




VANB38-25
L/W 400
P/D 555
H 2100




VANB48-25
L/W 800
P/D 555
H 2100




VANB39-25
L/W 400
P/D 555
H 2100




VANB49-25
L/W 800
P/D 555
H 2100




VANB323-25
L/W 400
P/D 555
H 2100




VANB426-25
L/W 800
P/D 555
H 2100




VANB324-25
L/W 400
P/D 555
H 2100



VANB428-25
L/W 800
P/D 555
H 2100



VANB325-25
L/W 400
P/D 555
H 2100



VANB4210-25
L/W 800
P/D 555
H 2100



L'Usine

location: Bruxelles, Belgium
project: Actech / Fit Interiors

Norma



Elevate

location: Peterborough, United Kingdom

Norma

Caratteristiche generali

- Armadietti a colonna singola, doppia e tripla, altezza totale con lo zoccolo 2170 mm
- Armadio realizzato con pannelli in MFC spessore 18 mm bordati in ABS con colla poliuretanica
- Griglie di ventilazione
- Barra per appendiabiti o gancio per vano
- Piedini regolabili
- Cerniere certificate per 80.000 cicli di apertura e chiusure
- Angolo di apertura dell'anta 155°
- Numero per anta in adesivo resinato con logo Fit Interiors
- Serratura lucchettabile

Opzioni

- Anta in MFC in varie finiture (vedi The Swatch Book)
- Struttura interna in due colori: grey o cashmere

Opzionali su richiesta

- Cerniere ammortizzate
- Portadocumenti
- Specchi
- Cestello portaoggetti
- Gruccia in plastica
- Gruccia antifurto in legno
- Presa USB
- Portascarpe
- Pannello laterale e pannello laterale con LED
- Pannello laterale curvo
- Angolo interno curvo
- Angolo esterno curvo
- Veletta superiore
- Top e top con LED
- Top inclinato
- Zoccolo in tre colori: argento, nero, bianco
- Altri tipi di serratura (pag. 164)
- Maniglie a scelta tra tutte le tipologie
- Altre tipologie di numero

Characteristics

- Single, double and triple column lockers, height with skirting board 2170 mm
- Locker made of MFC panels thickness 18 mm edged in ABS with poliurethanic glue
- Ventilation grids
- Bar for coat hangers or hook for each compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Options

- Door in MFC panel in various finishes (see The Swatch Book)
- Internal structure in two colors: grey or cashmere

Optional upon request

- Braked hinges
- Document holder
- Mirrors
- Storage basket
- Plastic hanger
- Anti-theft wooden hanger
- USB socket
- Shoe rack
- End side panels or end side panels with LED
- End side panels rounded
- Rounded panel for internal corner
- Rounded panel for external corner
- Upper veil
- Top or top with LED
- Sloping top
- Skirting board in three colors: silver, black, white
- Other types of lock (pag. 164)
- Handles to choose from all types
- Other types of number


Anta / Door

Finiture standard
Standard finishes



Struttura / Structure

Finiture
Finishes



Maniglia / Handle


Lista pag. 162 / List p. 162




One Training

location: Rotkreuz, Switzerland
project: Fit Interiors


Norma




ANB301-23
L/W 300
P/D 550
H 2100




ANB601-23
L/W 600
P/D 550
H 2100




ANB901-23
L/W 900
P/D 550
H 2100




ANB30-23
L/W 300
P/D 550
H 2100




ANB60-23
L/W 600
P/D 550
H 2100




SANB9025-23
L/W 900
P/D 550
H 2100




ANB90-23
L/W 900
P/D 550
H 2100




ANB33-23
L/W 300
P/D 550
H 2100




ANB63-23
L/W 600
P/D 550
H 2100




ANB93-23
L/W 900
P/D 550
H 2100




ANB3015-23
L/W 300
P/D 550
H 2100




ANB6015-23
L/W 600
P/D 550
H 2100




ANB9015-23
L/W 900
P/D 550
H 2100




ANB3025-23
L/W 300
P/D 550
H 2100




ANB6025-23
L/W 600
P/D 550
H 2100




ANB9025-23
L/W 900
P/D 550
H 2100




SANB3015-23
L/W 300
P/D 550
H 2100




SANB6015-23
L/W 600
P/D 550
H 2100



SANB9015-23
L/W 900
P/D 550
H 2100



SANB3025-23
L/W 300
P/D 550
H 2100



SANB6025-23
L/W 600
P/D 550
H 2100

PRODOTTO DI SERIE PERSONALIZZATO / PERSONALIZED INDUSTRIAL PRODUCT



On Air

location: Chilly-Mazarin, France
project: Fit Interiors



Bibliothèque Nationale de France

location: Paris, France
project: arch. Jerome Besse

Caratteristiche

- Struttura in pannelli MFC spessore 18 mm
- Bordatura in ABS con colla poliuretanica
- Ante in policarbonato trasparente spessore 15 mm
- Piedini regolabili
- Cerniere certificate per 80.000 cicli di apertura e chiusura
- Cerniere ammortizzate
- Angolo di apertura dell'anta 155°
- Numero per anta in adesivo resinato con logo Fit Interiors
- Serratura a chiave (con 2 chiavi + braccialetto portachiave numerato)

Opzioni

- Struttura interna in due colori: bianco e nero
- LED IP20 con canalina, alimentatore 24Vdc 50W
- Colore luce a scelta:
(C) 6000 K luce fredda
(N) 4000 K luce naturale
(W) 3000 K luce naturale
- Struttura in MFC spessore 18 mm, classe di infiammabilità e ritardante la prorogazione della fiamma B-s1, d0 (EN 13501-1)

Opzionali su richiesta

- Presa USB
- Portascarpe
- Pannello laterale e pannello laterale con LED
- Pannello laterale curvo
- Angolo interno curvo
- Angolo esterno curvo
- Velella superiore
- Top e top con LED
- Top inclinato
- Zoccolo in tre colori: argento, nero, bianco
- Altri tipi di serratura (pag. 164)
- Maniglia a scelta tra tutte le tipologie
- Altre tipologie di numero adesivo

Characteristics

- Structure in 18 mm thick MFC panels
- ABS edging with polyurethane glue
- 15 mm thick transparent polycarbonate doors
- Adjustable feet
- Hinges certified for 80,000 opening and closing cycles
- Braked hinges
- 155° door opening angle
- Door number in resin-coated adhesive with Fit Interiors logo
- Keylocks (with 2 keys + numbered locker key wrist strap)

Options

- Internal structure in two colours: white and black
- IP20 LED with trunking, 24Vdc 50W power supply
- Choice of light colour:
(C) 6000 K cold light / 4.8W per metre, 24 V
(N) 4000 K natural light / 4.8W per metre, 24 V
(W) 3000 K warm light / 4.8W per metre, 24 V
- Structure in 18 mm thick MFC, flame retardant and flammability class B-s1, d0 (EN 13501-1)

Optional upon request

- USB socket
- Shoe rack
- Side panel and side panel with LED
- Curved side panel
- Curved inside corner
- Curved outer corner
- Top flap
- Top and top with LED
- Slope top
- Skirting board in three colours: silver, black, white
- Other types of lock (pag. 164)
- Choice of all handle types
- Other types of adhesive numbers



Maison Européenne de la Photographie

location: Paris, France

Anta / Door

Policarbonato
Polycarbonate




Trasparente
Transparent

Struttura / Structure

Finiture
Finishes



Matt black
wax




White wax

Struttura ignifuga/ Fire retardant structure

Finiture
Finishes



Matt black
wax



White wax


Maniglia / Handle

Lista pag. 162 / List p. 162






Collective




CANB3W45-23

L/W 450
P/D 547
H 2100




CANB4W45-23

L/W 450
P/D 547
H 2100




CANB5W45-23

L/W 450
P/D 547
H 2100




CANB3W45-24V-23

L/W 450
P/D 547
H 2100




CANB4W45-24V-23

L/W 450
P/D 547
H 2100




CANB5W45-24V-23

L/W 450
P/D 547
H 2100




CANB3W40-23

L/W 400
P/D 547
H 2100




CANB4W40-23

L/W 400
P/D 547
H 2100




CANB5W40-23

L/W 400
P/D 547
H 2100




CANB3W40-24V-23

L/W 400
P/D 547
H 2100



CANB4W40-24V-23


L/W 400
P/D 547
H 2100



CANB5W40-24V-23


L/W 400
P/D 547
H 2100

Collective FR (struttura ignifuga / fire retardant structure)




CANB3W45FR-23

L/W 450
P/D 547
H 2100




CANB4W45FR-23

L/W 450
P/D 547
H 2100




CANB5W45FR-23

L/W 450
P/D 547
H 2100




CANB3W45FR-24V-23

L/W 450
P/D 547
H 2100




CANB4W45FR-24V-23

L/W 450
P/D 547
H 2100




CANB5W45FR-24V-23

L/W 450
P/D 547
H 2100




CANB3W40FR-23

L/W 400
P/D 547
H 2100




CANB4W40FR-23

L/W 400
P/D 547
H 2100




CANB5W40FR-23

L/W 400
P/D 547
H 2100




CANB3W40FR-24V-23

L/W 400
P/D 547
H 2100



CANB4W40FR-24V-23

L/W 400
P/D 547
H 2100



CANB5W40FR-24V-23

L/W 400
P/D 547
H 2100



Gianvito Rossi

location: Cesena, Italy
project: Fit Interiors

Caratteristiche

- Armadietti a colonna singola e doppia, altezza totale con lo zoccolo 2170 mm
- Armadio realizzato con pannelli in MFC spessore 18 mm bordati in ABS con colla poliuretanica
- Griglie di ventilazione
- Barra per appendiabiti o gancio per vano
- Piedini regolabili
- Cerniere certificate per 80.000 cicli di apertura e chiusura
- Angolo di apertura dell'anta 155°
- Targhetta portanome
- Maniglia a ponte
- Serratura a chiave (con 2 chiavi + braccialetto portachave numerato)

Opzioni

- Anta in MFC in varie finiture (vedi The Swatch Book)
- Struttura interna in due colori: grey o cashmere

Opzionali su richiesta

- Cerniere ammortizzate
- Portadocumenti
- Specchi
- Cestello portaoggetti
- Gruccia in plastica (solo per armadi profondità 550 mm)
- Gruccia antifurto in legno (solo per armadi profondità 550 mm)
- Presa USB
- Portascarpe
- Pannello laterale e pannello laterale con LED
- Pannello laterale curvo
- Angolo interno curvo
- Angolo esterno curvo
- Velella superiore
- Top e top con LED
- Top inclinato
- Zoccolo in tre colori: argento, nero, bianco
- Altri tipi di serratura (pag. 164)

Characteristics

- Single and double column lockers, height with skirting board 2170 mm
- Locker made of MFC panels thickness 18 mm edged in ABS with poliurethanic glue
- Ventilation grids
- Bar for coat hangers or hook for each compartment
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Locker nameplate
- Bridge handle
- Keylocks (with 2 keys + numbered locker key wrist strap)

Optional

- Door in MFC panel in various finishes (see The Swatch Book)
- Internal structure in two colors: grey or cashmere

Optional upon request

- Braked hinges
- Document holder
- Mirrors
- Storage basket
- Plastic hanger (only for lockers depth 550 mm)
- Anti-theft wooden hanger (only for lockers depth 550 mm)
- USB socket
- Shoe rack
- End side panels or end side panels with LED
- End side panels rounded
- Rounded panel for internal corner
- Rounded panel for external corner
- Upper veil
- Top or top with LED
- Sloping top
- Skirting board in three colors: silver, black, white
- Other types of lock (pag. 164)



Anta / Door

Finiture standard
Standard finishes



THE SWATCH BOOK

Struttura / Structure

Finiture
Finishes



D143PS30
Grey



6577ST
Cashmere


Maniglia / Handle




Hotel Hassler

location: Rome, Italy
project: mp2a Architetti Associati


Division




BANB31-23
L/W 400
P/D 550
H 2100




BANB41-23
L/W 800
P/D 550
H 2100




BANB33-23
L/W 400
P/D 550
H 2100




BANB43-23
L/W 800
P/D 550
H 2100




BANB32-23
L/W 400
P/D 550
H 2100




BANB56-23
L/W 360
P/D 370
H 2100




BANB76-23
L/W 720
P/D 370
H 2100




BANB55-23
L/W 360
P/D 370
H 2100




BANB75-23
L/W 720
P/D 370
H 2100




BANB42-23
L/W 800
P/D 550
H 2100




BANB34-23
L/W 400
P/D 550
H 2100




BANB44-23
L/W 800
P/D 550
H 2100




BANB36-23
L/W 400
P/D 550
H 2100




BANB46-23
L/W 800
P/D 550
H 2100




BANB35-23
L/W 400
P/D 550
H 2100




BANB45-23
L/W 800
P/D 550
H 2100




BANB51-23
L/W 360
P/D 370
H 2100




BANB71-23
L/W 720
P/D 370
H 2100




BANB53-23
L/W 360
P/D 370
H 2100




BANB73-23
L/W 720
P/D 370
H 2100




BANB52-23
L/W 360
P/D 370
H 2100



BANB72-23
L/W 720
P/D 370
H 2100



BANB54-23
L/W 360
P/D 370
H 2100



BANB74-23
L/W 720
P/D 370
H 2100



Starpool
location: Trento, Italy
project: Fit Interiors



Master



Institution Immaculée Conception

location: Laval, France

Master

Caratteristiche

- Armadietti a colonna singola, doppia e tripla, altezza totale con lo zoccolo 1970 mm oppure 1135 mm
- Armadio realizzato con pannelli in MFC spessore 18 mm bordati in ABS con colla poliuretanica
- Griglie di ventilazione
- Piedini regolabili
- Cerniere certificate per 80.000 cicli di apertura e chiusura
- Angolo di apertura dell'anta 155°
- Numero adesivo con logo Fit Interiors
- Serratura a chiave (con 2 chiavi + braccialetto portachiave numerato)

Opzioni

- Anta in MFC in varie finiture (vedi Swatch Book)
- Struttura interna in due colori: grey o cashmere

Opzionali su richiesta

- Cerniere ammortizzate
- Portadocumenti
- Cestello portaoggetti
- Presa USB
- Targhetta portanome
- Zoccolo in tre colori: argento, nero, bianco
- Altri tipi di serratura (pag. 164)
- Maniglie a scelta tra tutte le tipologie

Characteristics

- Single, double and triple column lockers, height with skirting board 1970 mm or 1135 mm
- Locker made of MFC panels thickness 18 mm edged in ABS with poliurethanic glue
- Ventilation grids
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Keylocks (with 2 keys + numbered locker key wrist strap)

Optional

- Door in MFC panel in various finishes (see The Swatch Book)
- Internal structure in two colors: grey or cashmere

Optional upon request

- Braked hinges
- Document holder
- Storage basket
- USB socket
- Locker nameplate
- Skirting board in three colors: silver, black, white
- Other types of lock (pag. 164)
- Handles to choose from all types

Anta / Door

Finiture standard
Standard finishes



THE SWATCH BOOK

Struttura / Structure

Finiture
Finishes




D143PS30
Grey



6577ST
Cashmere


Maniglia / Handle

Lista pag. 162 / List p. 162




MAS4S-23

L/W 350
P/D 550
H 1900



MAS4D-23

L/W 700
P/D 550
H 1900



MAS4T-23

L/W 1050
P/D 550
H 1900



Master kid



Caratteristiche

- Armadietti a colonna singola, doppia e tripla, altezza totale con lo zoccolo 1970 mm oppure 1135 mm
- Armadio realizzato con pannelli in MFC spessore 18 mm bordati in ABS con colla poliuretanica
- Griglie di ventilazione
- Gancio appendiabiti
- Piedini regolabili
- Cerniere certificate per 80.000 cicli di apertura e chiusura
- Angolo di apertura dell'anta 155°
- Numero adesivo con logo Fit Interiors
- Maniglia a ponte, senza serratura

Opzioni

- Anta in MFC in varie finiture (vedi Swatch Book)
- Struttura interna in due colori: grey o cashmere

Opzionali su richiesta

- Cerniere ammortizzate
- Portadocumenti
- Cestello portaoggetti
- Presa USB
- Targhetta portanome
- Zoccolo in tre colori: argento, nero, bianco
- Altri tipi di serratura (pag. 164)
- Maniglie a scelta tra tutte le tipologie

Characteristics

- Single, double and triple column lockers, height with skirting board 1970 mm or 1135 mm
- Locker made of MFC panels thickness 18 mm edged in ABS with poliurethanic glue
- Ventilation grids
- Coat hook
- Adjustable feet
- Hinges certified for 80.000 opening cycles
- Door 155° opening angle
- Number made of PVC with Fit Interiors logo
- Bridge handle, without locking system

Optional

- Door in MFC panel in various finishes (see The Swatch Book)
- Internal structure in two colors: grey or cashmere

Optional upon request

- Braked hinges
- Document holder
- Storage basket
- USB socket
- Locker nameplate
- Skirting board in three colors: silver, black, white
- Other types of lock (pag. 164)
- Handles to choose from all types

Anta / Door

Finiture standard
Standard finishes



THE SWATCH BOOK

Struttura / Structure

Finiture
Finishes




D143PS30
Grey




6577ST
Cashmere

Maniglia / Handle




MASKID1-23

L/W 350
P/D 550
H 1065




MASKID2-23

L/W 700
P/D 550
H 1065



MASKID3-23

L/W 1050
P/D 550
H 1065



Oxygen

location: Kuwait City, Kuwait
project: Fit Interiors

Athena

Sistema formato da armadi a colonna e da pensili a muro, portacaschi o portavalori

Dimensioni

- Singola colonna:
L 410 mm / P 382 mm / H 1624 mm
L 993 mm / P 250 mm / H 603 mm
L 1108 mm / P 270-290 mm / H 238 mm

Caratteristiche

- Armadio realizzato con pannelli in MFC spessore 18 mm bordati in ABS con colla poliuretanica
- Cerniere certificate per 80.000 cicli di apertura e chiusura
- Angolo di apertura dell'anta 110°
- Numero per anta in adesivo resinato con logo Fit Interiors
- Serratura lucchettabile

Opzioni

- Struttura nelle varie finiture (vedi The Swatch Book)
- Anta in MFC nelle varie finiture (vedi The Swatch Book) o plexiglass trasparente
- Due modelli specifici con ricarica smartphone (1 dispositivo per vano) - Cavo e trasformatore inclusi

Opzionali su richiesta

- Altri tipi di serratura (pag. 164)

Ante e cassa / Doors and frame

Finiture standard
Standard finishes



THE SWATCH BOOK

System composed by column and wall-hung lockers, helmet storage or safe deposit lockers

Dimensions

- Single column:
W 410 mm / D 382 mm / H 1624 mm
W 993 mm / D 250 mm / H 603 mm
W 1108 mm / D 270-290 mm / H 238 mm

Characteristics

- Locker made of MFC panels thickness 18 mm edged in ABS with poliurethanic glue
- Hinges certified for 80.000 opening cycles
- Door 110° opening angle
- Number made of PVC with Fit Interiors logo
- Padlock system

Optional

- Structure in various finishes (see The Swatch Book)
- Door in MFC panel in various finishes (see Swatch Book) or transparent plexiglass
- Two specific model with phone charging (1 device per compartment) - Cable and transformer included


Optional upon request

- Other types of lock (pag. 164)




Klab


location: Prato, Italy
project: arch. Camilla Lapucci




APV04
L/W 410
P/D 382
H 1624




APV08
L/W 410
P/D 382
H 1624




APV10
L/W 410
P/D 382
H 1624




APV12
L/W 410
P/D 382
H 1624




APV14
L/W 410
P/D 382
H 1624




APV16
L/W 410
P/D 382
H 1624




APV15
L/W 993
P/D 250
H 603



APV20
L/W 993
P/D 250
H 800



APVCHNW
L/W 1108
P/D 290
H 238



APVCHPW
L/W 1108
P/D 270
H 238



Harbour Club Chelsea

location: London, United Kingdom
project: Hadfield, Cawkwell, Davidson

Systema



Barry's

location: Paris, France

Sistema di arredo complementare a tutte le tipologie di armadi per spogliatoio, per area reception e lounge

Caratteristiche

- Mobili realizzati con pannelli in MFC spessore 18 mm bordati in ABS con colla poliuretanica
- Cerniere certificate per 80.000 cicli di apertura
- Anta e struttura in MFC in varie finiture (vedi The Swatch Book)
- Angolo di apertura dell'anta 110°
- Armadio con serratura chiave

Opzionali su richiesta

- Maniglie a scelta tra tutte le tipologie
- Cerniere ammortizzate
- Zoccolo in tre colori: argento, nero, bianco

Complementary furniture system for all locker types and for reception and lounge areas

Characteristics

- Furniture made of MFC panels thickness 18 mm edged in ABS with poliurethanic glue
- Hinges certified for 80.000 opening cycles
- Door and structure in MFC panel in various finishes (see The Swatch Book)
- Door 110° opening angle
- Cupboard with keylock


Optional upon request

- Handles to choose from all types
- Braked hinges
- Skirting board in three colors: silver, black, white


Anta e struttura / Door and Structure

Finiture standard
Standard finishes







ACCTWL-23
L/W 400
P/D 550
H 2100




ACCDRT-23
L/W 500
P/D 550
H 2100



VA100
L/W 1000
P/D 400
H 2077



MA100
L/W 1000
P/D 400
H 2077



MB100
L/W 1000
P/D 400
H 860




G Club

location: Milan, Italy
project: arch. Paola Giambelli / Fit Interiors

Elementi accessori per armadi Accessories for lockers

Numeri / Numbers

Inclusi / Included



Numero su adesivo piccolo resinato, con logo Fit Interiors (40x40 mm)
Small number in PVC with Fit Interiors logo (40x40 mm)



Numero stampato interno vetro (Armadi Etoile)
Number printed inside the glass (Etoile lockers)

Opzionali su richiesta / Optional upon request



ACCTAI
Numero inciso su piastra in acciaio, (135x40 mm). Fissaggio con viti.
Number engraved on a stainless steel plate (135x40 mm) Fixing with screws.




ACCNUI
Numero ritagliato su piastra in acciaio, in varie forme e misure. Fissaggio con viti.
Number cut out on steel plate, in various shapes and sizes. Fixing with screws.



ACCIND
Numero perforato su piastra in acciaio (62x20 mm). Fissaggio con viti.
Perforated number on a stainless steel plate (62x20 mm). Fixing with screws.



ACC3D
Numero ritagliato su plexiglas nero spessore 10 mm (h. 50 mm). Fissaggio con viti sul retro.
Number cut out on 10 mm th. black plexiglas (h. 50 mm). Fastening with screws on the back.



ACCNXT
Numero inciso su piastra in metallo (37x37 mm), spessore 2 mm. Adesivo su retro.
Number engraved on metal plate (37x37mm), thickness 2 mm. Sticker on back.



ACCNU
Numero in vinile adesivo, colore bianco o nero, n. 3 font, h 85 mm, 110 mm, 135 mm
Adhesive vinyl number, available in white or black, 3 font options, height: 85 mm, 110 mm, 135 mm

Maniglie / Handles

HAN 01
Maniglia in zama / Zamak handle
Dimensioni / Dimensions
L-W 10 mm / P-D 30 mm / H 106 mm



cromo lucido
polished chrome



cromo opaco
matt chrome

HAN 02
Pomolo in zama / Zamak knob
Dimensioni / Dimensions
ø 20 mm / P-D 25 mm



cromo lucido
polished chrome

HAN 03
Maniglia ad incasso in zama /
Recessed handle in zamak
Dimensioni / Dimensions
L-W 42 mm / P-D 12 mm / H 106 mm



cromo lucido
polished chrome

HAN 04
Maniglia in zama / Zamak handle
Dimensioni / Dimensions
L-W 50 mm / P-D 25,7 mm / H 80 mm



titanio
titanium

HAN 05
Maniglia in zama / Zamak handle
Dimensioni / Dimensions
L-W 22 mm / P-D 18 mm / H 158 mm



cromo lucido
polished chrome



bianco
white



antracite
anthracite

HAN 06
Maniglia in alluminio / Aluminium handle
Dimensioni / Dimensions
L-W 16mm / P-D 30 mm / H 198 mm




anodizzato lucido
polished anodised

HAN 07
Maniglia in zama / Zamak handle
Dimensioni / Dimensions
L-W 69 mm / P-D 26 mm / H 69 mm



cromo lucido
polished chrome

HAN 08
Pomolo in plastica / Plastic knob
Dimensioni / Dimensions
ø 35 mm / P-D 28 mm



argento lucido
polished silver



argento opaco
matt silver

HAN 09
Maniglia a barra / Bar handles
Dimensioni / Dimensions
L-W 700 mm x H 30 mm



nero
black

Serrature / Locks

Standard



Lucchettabile
Padlock

Opzionali su richiesta / Optional upon request

• Serratura meccanica / Mechanical lock



ACCHIAVE
Keylock



ACCCOMBI
Combi Lock



ACCDKI
Digilock DIAL



ACCBURG
Burg sPinLock 200



ACCKEY1



ACCKEY2



ACCKEY3



ACCKEY4

• Serratura elettroniche con tastiera / Electronic locks with keypad



ACCASP6GSTD
Aspire 6G Standard



ACCASP6GSTDWH
Aspire 6G Standard
with handle



ACCASP6GNAR
Aspire 6G Narrow



ACCASP6GNARWH
Aspire 6G Narrow
with handle

• Serratura elettroniche RFID / Electronic locks RFID



ACCOJPROD
ACCOJPROS
OTS Basic



ACCOTS20D
ACCOTS20S
OTS 20



ACCASPSTDRFID
Aspire standard with
handle



ACCASPVERRFID
Aspire vertical with
handle

• Serratura smart / Smart lock



ACCOJOCSMAG
OCS Smart Grey



ACCOJOCSMAGH
OCS Smart Grey
with handle



ACCOJOCSMAW
OCS Smart White



ACCOJOCSMAWH
OCS Smart White
with handle



ACCOJOCSMAS
OCS Smart Silver



ACCOJOCSMASH
OCS Smart Silver
with handle



ACCOTSPULD
ACCOTSPULS
OTS Pulse



ACCGAT
Mod. 7010

Serrature / Locks

• Serratura meccanica / Mechanical lock

	Atelier	People	People T	Norma	Futura Wood	Futura
ACCHIAVE	•	•	•	•	•	•
ACCDKDI	•	•	•	•		
ACCCOMBI	•	•	•	•		
ACCBURG	•	•	•	•		
ACCKEYLESS	•	•	•	•	•	•
ACCKEYLESS1	•	•	•	•	•	•
ACCKEYLESS2	•	•	•	•	•	•
ACCKEYLESS3	•	•	•	•	•	•

• Serratura elettroniche con tastiera / Electronic locks with keypad

	Atelier	People	People T	Norma	Futura Wood	Futura
ACCASP6GSTD	•	•	•	•	•	•
ACCASP6GSTDWH	•	•	•	•		
ACCASP6GNAR	•	•	•	•	•	•
ACCASP6GNARWH	•	•	•	•		

• Serratura elettroniche RFID / Electronic locks RFID

	Atelier	People	People T	Norma	Futura Wood	Futura
ACCOJPROD/ACCOJPROS	•	•	•	•	•	•
ACCOTS20D/ACCOTS20S	•	•	•	•	•	•
ACCASPSTDRFID	•	•	•	•		
ACCASPVERRFID	•	•	•	•		

• Serratura smart / Smart lock

	Atelier	People	People T	Norma	Futura Wood	Futura
ACCOJOCSMAG	•	•	•	•		
ACCOJOCSMAGH	•	•	•	•		
ACCOJOCSMAS	•	•	•	•		
ACCOJOCSMASH	•	•	•	•		
ACCOJOCSMAW	•	•	•	•		
ACCOJOCSMAWH	•	•	•	•		
ACCOTSPULD/ ACCOTSPULS	•	•	•	•	•	•
ACCGAT	•	•	•	•		

Next	Factory	Etoile	Collective	Division	Master	Master Kid	Athena
•	•	•	•	•	•		•
•			•	•	•		•
•			•	•	•		•
•			•	•	•		•
•	•	•	•	•	•		•
•	•	•	•	•	•		•
•	•	•	•	•	•		•
•	•	•	•	•	•		•

Next	Factory	Etoile	Collective	Division	Master	Master Kid	Athena
•		•	•	•	•		•
•			•		•		•
•	•	•	•	•	•		•
•			•		•		•

Next	Factory	Etoile	Collective	Division	Master	Master Kid	Athena
•		•	•	•	•		•
•		•	•	•	•		•
•			•		•		•
•			•		•		•

Next	Factory	Etoile	Collective	Division	Master	Master Kid	Athena
•				•	•		•
•		•	•		•		•
•				•	•		•
•		•	•		•		•
•				•	•		•
•		•	•		•		•
		•	•	•	•		•
		•		•	•		•

Accessori / Accessories




ACCDOC
Portadocumenti
Document holder



ACCSPP
Specchio
Mirror



AV00002
Gruccia antifurto
in plastica
Anti-theft plastic
hanger



ACCAPP
Gruccia in plastica
Plastic hanger



AV00001
Gruccia antifurto
in legno
Anti-theft wooden
or plastic hanger



ACCCES
Cestello
Storage basket



ACCPIQ
Portascarpe
Shoe rack



ACCPIA
Portascarpe
Shoe rack



ACCUSB
Presa USB
USB socket

In sostituzione dotazioni standard / Replacing standard equipment



ACCHOOK1
Gancio appendiabiti
Coat hook



ACCTARG
Targhetta portanome
Name plate



ACCTOV
Barra appendiabiti ovale
Oval clothes rail

Complementi / Additions



ACCTAM
Pannelli laterali
End side panels



ACCTAML-24V
Pannelli laterali
con LED
End side panels
with LED



ACCTAMSP
Pannelli laterali
con specchio
End side panels
with mirror



SPACE1
Pannello laterale
terminale curvo
End side panels
rounded




SPACE2
Pannello angolo
interno curvo
Rounded panel for
internal corner



SPACE3
Pannello angolo
esterno curvo
Rounded panel for
external corner



ACCVEL50
Violetta superiore
Upper veil



ACCTOP
Top
Top



ACCTPL-24V
Top con LED
Top with LED



BACCT
Top inclinato
Sloping top

Zoccolo in ABS / Skirting board in ABS



Argento
Silver



Bianco
White



Nero
Black

Le parti elettriche e le sorgenti LED non sono adatte per l'uso con sensori di passaggio
Electrical parts and led sources are not suitable in presence of sensors, including sensor of movement

Corner


Angolo spogliatoio predisposto per fianco armadio prof. 550 mm oppure 610, due altezze H 1400 e H 1800, con serratura libero/occupato in inox. Cerniere ammortizzate ad angolo positivo con apertura a 110°.

Anta e struttura / Door and Structure

Finiture standard
Standard finishes




THE SWATCH BOOK



ACCSPO / XL

L/W 660
P/D 18
H 1400



ACCSPOME / XL

L/W 660
P/D 18
H 1800



Changing corner for cabinet side depth 550 mm or 610, two available heights H 1400 and H 1800, with free/occupied stainless steel lock. Positive angle amortized hinges with 110 ° opening.

Boise


Sistema di boiserie a parete o integrate con il sistema armadi, costituito da pannelli in MFC spessore 18 mm bordato ABS con colla poliuretanica. Zoccolo in tre colori: argento, nero, bianco.

Struttura / Structure

Finiture standard
Standard finishes




THE SWATCH BOOK



BOISE P

L/W 1000
P/D 36
H 2070



BOISE

L/W 1000
P/D 36
H 2070



Wall cladding system made of MFC panels thickness 18mm edged in ABS with poliurethanic glue. Skirting board in three colors: silver, black, white.

T-Rack


Struttura in MFC con divisori e ripiani a giorno oppure chiusa con ante e chiave. Per ambienti asciutti.

Struttura / Structure

Finiture standard
Standard finishes




THE SWATCH BOOK



T-RACK1
T-RACK1-W

L/W 1200
P/D 400
H 1590

MFC-Structure with open compartments or with doors and keylocks. For dry environments.



T-RACK2
T-RACK2-W

L/W 1200
P/D 400
H 1590



Hello


Sanitizer Station

Mobile su ruote in MFC, completo di dispenser carta antibatterico, dispenser gel igienizzante antibatterico con pulsante e bidone porta rifiuti. Due vani interni chiusi con anta e chiave

Struttura / Structure

Finiture
Finishes

	
D143PS30 Grey	6577ST Cashmere



HELLOSS

L/W 500
P/D 500
H 1500


Sanitizer Totem

Mobile su base fissa, completo di dispenser carta, dispenser gel igienizzante antibatterico automatico e bidone porta rifiuti. Cassa in MFC, anta in HPL. Vano interno chiusura con chiave.

Struttura / Structure

Finiture
Finishes

	
D143PS30 Grey	6577ST Cashmere



HELLOST

L/W 446
P/D 340/500
H 1751

Sanitizer Station

Cabinet in MFC on wheels, complete with antibacterial paper dispenser, antibacterial gel dispenser with pushbutton and waste bin in PVC. The cabinet can be closed with a lockable door.



Sanitizer Totem


Cabinet complete with paper dispenser, hands-free antibacterial gel dispenser and waste bin in PVC. The cabinet can be closed with a lockable door. Frame in MFC, door in HPL.



Alter

Cabina spogliatoio in MFC con anta intera e chiusura a chiave compreso di gancio appenderia interno. Panca esclusa. Per ambienti asciutti.

Free-standing changing cubicle in MFC with full door and keylock, internal hanging hook included. Bench excluded. For dry environments.



ALTER

L/W 836
P/D 1200
H 2007

Vela

Divisorio con telaio di metallo e inserto in melaminico con finiture di serie (vedi The Swatch Book). Per ambienti asciutti.

Partition element with metal frame and integrated MFC panel in wood finishes (see The Swatch Book). For dry environments.

Telaio / Frame

Acciaio
Steel



Matt black

Pannello / Panel


Finiture standard
Standard finishes



THE SWATCH BOOK



alcune possibili combinazioni
some possible combinations



VELA1
L/W 1030
P/D 580
H 1880



VELA2
L/W 1000
P/D 30
H 1880



VELA3
L/W 580
P/D 30
H 1880

Task

Trainer point con 1 cassetto e ripiani, struttura in MFC e laminato


Trainer point with 1 drawer and shelves, melamine and laminate structure.

Struttura / Structure


Finiture standard
Standard finishes



THE SWATCH BOOK



ACCTRAIN100
L/W 1000
P/D 800
H 1000



ACCTRAIN150
L/W 1500
P/D 800
H 1000



Free

Self-service station con piano di lavoro in multistrati marino e laminato, 3 porte, maniglie e griglie di areazione. Escluso di impianto di spillatura.


Self-service station with worktop in marine plywood + laminate, 3 doors, handles and ventilation grids. Tapping system not included.

Struttura / Structure

Finiture standard
Standard finishes



THE SWATCH BOOK



MOBSERV140
L/W 1400
P/D 600
H 900



Panche, Divani Pouf e Vasi Benches Sofas, Pouffs and Vases

178	188	192	196	202
Panka	Round	Up	Tecno	Atlas
				
204	206	208	210	214
Aura	Voga	Lingotto	Combo	Pony
				

218	220	221	222	224
Traffic	Numbers	Luna	Bingo	Puff
				
228	230	231		
Birillo	Perla	Pilar		
				

Panka



Happy Fit

location: Venice, Italy
project: Fit Interiors

Panka



Fitness Time

location: Saudi Arabia
project: arch. Ghaith Beshir / Fit Interiors

Struttura in acciaio con trattamento in cataforesi antiruggine e verniciatura a polveri epossidiche, colori bianco, nero e grigio metallizzato. Seduta in tre varianti: doghe in massello di frassino con trattamento protettivo naturale o tinto wengé; MDF rivestito con laminato; imbottitura in ecopelle ignifuga (Classe 1IM - UNI 9175 / Martindale >= 200.000 cicli) nelle finiture disponibili a catalogo.

Steel structure with rustproof cataphoresis treatment painted with epoxy powder, colors: white, black and metallic grey. Seat in three versions: solid ash slats with natural protective treatment or stained wengé, MDF covered with laminate, padding in fire retardant eco-leather (BS5892 Source 0 & 1 / Martindale >= 200.000 cycles) in the finishes available in the catalogue.

Telaio / Frame

Acciaio verniciato
Painted steel

Metallic grey

Black

White

Seduta / Seat

Doghe in legno massello
Slats in solid ash wood

Natural


Wengé

PSD120S
L/W 1200
P/D 383
H 433

PSD180S
L/W 1800
P/D 383
H 433

PSD120D
L/W 1200
P/D 711
H 433

PSD180D
L/W 1800
P/D 711
H 433







Standout CrossFit

location: Florence, Italy
project: Fit Interiors


Telaio / Frame
Acciaio verniciato
Painted steel




Seduta / Seat
Finiture standard
Standard finishes




PSM120S-20
L/W 1200
P/D 382
H 435




PSM180S-20
L/W 1800
P/D 382
H 435



PSM120D-20
L/W 1200
P/D 712
H 435



PSM180D-20
L/W 1800
P/D 712
H 435



PQM120-20
L/W 1200
P/D 1200
H 435


Panka




Easy Fit

location: Fiumicino, Italy
project: Spaceplanners


Telaio / Frame
Acciaio verniciato
Painted steel




Seduta / Seat
Ecopelle standard
Standard eco-leather




PSC120SP
L/W 1200
P/D 400
H 488




PSC180SP
L/W 1800
P/D 400
H 488



PSC120DP
L/W 1200
P/D 730
H 488



PSC180DP
L/W 1800
P/D 730
H 488



PQC120
L/W 1200
P/D 1200
H 488

Round



Harbour Club Chelsea

location: London, United Kingdom
project: Hadfield, Cawkwell, Davidson

Round



Panca per fronte armadio o composizione a isola in ecopelle ignifuga (Classe IIM - UNI 9175 / Martindale >= 200.000 cicli).


Bench to be put in front of lockers or island composition covered in Fireproof eco-leather (BS5892 Source 0 & 1 / Martindale >= 200.000 cycles).

Seduta / Seat

Ecopelle standard
Standard eco-leather




THE SWATCH BOOK




PSG80S

L/W 800
P/D 400
H 450



PSG120S

L/W 1200
P/D 400
H 450



PSGANG

L fino a / W up to 1400
P fino a / D up to 1400
H 450

G Club

location: Milan, Italy
project: arch. Paola Giambelli / Fit Interiors

Up



Audace

location: Lecco, Italy
project: Fit Interiors




Panca per fronte armadio a sbalzo, in MDF e laminato.
Sistema di sostegno con barre fissate sull'armadio ed ancoraggio a muro.


Cantilevered bench for locker front, in MDF and laminate.
Support system with bars fixed to the locker and wall fixing.

Seduta / Seat
Finiture standard
Standard finishes


 THE SWATCH BOOK




UP40-25
L fino a / W up to 400
P/D 350
H 41



UP90-25
L/W 401-900
P/D 350
H 41



UP180-25
L/W 901-1800
P/D 350
H 41



UP240-25
L/W 1801-2400
P/D 350
H 41

Tecno




The Padel Resort


location: Como, Italy
project: arch. Vito Ruscio




Panca in alluminio con verniciatura a polvere colori RAL Aluminium bench with powder coating RAL colors.

Telaio e doghe / Frame and Slats
Alluminio termolaccato
Powder-coated aluminium


					
Matt black	Ral 9010 White	Ral 8028 Brown	Ral 3002 Red	Ral 5023 Blue	Ral 3014 Pink




TECNO 120S
L/W 1200
P/D 360
H 480



TECNO 180S
L/W 1800
P/D 360
H 480




TECNO 120D
L/W 1200
P/D 750
H 480



TECNO 180D
L/W 1800
P/D 750
H 480



Atlas



Nemea

location: Naples, Italy
project: Studio AArchitetti Noorda Schiavon

Seduta con piccolo schienale, imbottitura e rivestimento in ecopelle ignifuga (Classe 1IM - UNI 9175 / Martindale $\geq$ 200.000 cicli). Piedini in legno marino.


Seat with small backrest, upholstery and covering in fire-retardant eco-leather (BS5892 Source 0 & 1 / Martindale $\geq$ 200.000 cycles). Legs in marine wood.

Seduta / Seat

Ecopelle standard
Standard eco-leather




THE SWATCH BOOK



ATLAS200

L/W 2000
P/D 1100
H 470-726



ATLAS300

L/W 3000
P/D 1100
H 470-726


Aura




Seduta con imbottitura e rivestimento in ecopelle ignifuga (Classe 1IM - UNI 9175 / Martindale >= 200.000 cicli).
Piedini in metallo verniciato

Seat with upholstery and covering in fire-retardant eco-leather (BS5892 Source 0 & 1 / Martindale >= 200.000 cycles).
Legs in painted steel


Piedini / Legs
Acciaio verniciato
Painted steel



AURA60S
L/W 600
P/D 450
H 450




AURA120S
L/W 1200
P/D 450
H 450




AURA120D
L/W 1200
P/D 800
H 450

Seduta / Seat
Ecopelle standard
Standard eco-leather



AURA180S
L/W 1800
P/D 450
H 450



AURA180D
L/W 1800
P/D 800
H 450

Voga



Sandareds

location: Sandared, Sweden
project: Fit Interiors

Panca con telaio in acciaio con trattamento in cataforesi antiruggine e verniciatura a polveri epossidiche, seduta in ecopelle ignifuga (Classe 1IM - UNI 9175 / Martindale $\geq$ 200.000 cicli) trapuntata.

Bench with rustproof cataphoresis treatment steel structure, painted with epoxy powder, quilted seat in fireproof eco-leather (BS5892 Source 0 & 1 / Martindale $\geq$ 200.000 cycles).

Telaio / Frame

Acciaio verniciato
Painted steel



Black




41199
Gold

Seduta / Seat

Ecopelle standard
Standard eco-leather



THE SWATCH BOOK



VOGA

L/W 1500
P/D 700
H 480

Lingotto



Panca in ecopelle ignifuga (Classe 1IM - UNI 9175 / Martindale >= 200.000 cicli).


Upholstered bench covered in Fireproof eco-leather (BS5892 Source 0 & 1 / Martindale >= 200.000 cycles).

Seduta / Seat

Ecopelle standard
Standard eco-leather




THE SWATCH BOOK



LINGOTTO80S

L/W 800
P/D 800
H 385



LINGOTTO120S

L/W 1200
P/D 800
H 385

Holmes Place

location: Hamburg, Germany
project: Fit Interiors

Combo



Nemea

location: Naples, Italy
project: Studio AArchitetti Noorda Schiavon

Combo



Hub
location: Lamone, Switzerland
project: arch. Silvia Giannini

La serie Combo è formata da cinque divanetti con schienale e senza e da un elemento ad angolo con schienale. Schienali e seduta possono essere di colore diverso. Tutti gli elementi sono imbottiti e rivestiti in ecopelle ignifuga (Classe 1IM - UNI 9175 / Martindale >= 200.000 cicli). Il sistema di sedute può essere utilizzato sia per le zone spogliatoio che per le zone lounge.

The Combo series consists of five benches, with and without backrests, and a corner unit with backrest. Backrests and seats can be in different colors. All elements are padded and upholstered in fire-retardant eco-leather (BS5892 Source 0 & 1 / Martindale >= 200.000 cycles). The seating system can be used both in locker room areas and lounge zones.

Seduta / Seat

Ecopelle standard
Standard eco-leather




THE SWATCH BOOK

Schienale / Backrest

Ecopelle standard
Standard eco-leather




THE SWATCH BOOK




CMB070P

L/W 700
P/D 700
H 450




CMB140P

L/W 1400
P/D 700
H 450




CMB070A

L/W 700
P/D 700
H 730



CMB070S

L/W 700
P/D 700
H 730



CMB140S

L/W 1400
P/D 700
H 730

Alcune possibili combinazioni
Possible compositions



Pony




Panca con struttura e gambe in multistrati Okumè tinto finitura trasparente opaca, con imbottitura e rivestimento in ecopelle ignifuga (Classe 1IM - UNI 9175 / Martindale >= 200.000 cicli).

Bench with frame and legs in Okoumé dyed plywood finish transparent matt, with padding and fire-retardant eco-leather upholstery (BS5892 Source 0 & 1 / Martindale >= 200.000 cycles).


Telaio / Frame
Legno marino
Marine plywood

Natural

Seduta / Seat
Ecopelle standard
Standard eco-leather
 THE SWATCH BOOK




PONY160
L/W 1600
P/D 400
H 500



PONY220
L/W 2200
P/D 400
H 500

Rafa Nadal Academy

location: Kuwait
project: Fit Interiors



Traffic



Palmarès Devur Club

location: Bari, Italy
project: Fit Interiors

Panca per ambienti asciutti con struttura in MFC o struttura in multistrato marino laminato (W), cuscino in ecopelle ignifuga (Classe 1IM - UNI 9175 / Martindale >= 200.000 cicli). Vani a giorno portascarpe o vani chiusi con serratura a chiave.

Bench for dry environments with MFC structure or laminated marine plywood (W) structure, fireproof eco-leather cushion (BS5892 Source 0 & 1 / Martindale >= 200.000 cycles). Open compartments for shoes or closed compartments with key lock.

Struttura / Structure

Finiture standard
Standard finishes




THE SWATCH BOOK

Seduta / Seat

Ecopelle standard
Standard eco-leather




THE SWATCH BOOK




TRAFFIC1S
TRAFFIC1S-W

L/W 1200
P/D 400
H 500




TRAFFIC1D
TRAFFIC1D-W

L/W 1200
P/D 700
H 500




TRAFFIC2S
TRAFFIC2S-W

L/W 1780
P/D 400
H 500




TRAFFIC2D
TRAFFIC2D-W

L/W 1780
P/D 700
H 500




TRAFFIC3S
TRAFFIC3S-W

L/W 1200
P/D 400
H 500




TRAFFIC3D
TRAFFIC3D-W

L/W 1200
P/D 700
H 500



TRAFFIC4S
TRAFFIC4S-W

L/W 1780
P/D 400
H 500



TRAFFIC4D
TRAFFIC4D-W

L/W 1780
P/D 700
H 500


Numbers

> arch. Simone Micheli

Seduta a forma di numero con imbottitura e rivestimento in ecopelle ignifuga (Classe IIM - UNI 9175 / Martindale >= 200.000 cicli).


Number shaped seat with upholstery and covering in fire-retardant eco-leather (BS5892 Source 0 & 1 / Martindale >= 200.000 cycles).

Seduta / Seat
Ecopelle standard
Standard eco-leather




NUMBERS1

L/W 697
P/D 1501
H 455




NUMBERS2

L/W 1200
P/D 1501
H 455




NUMBERS3

L/W 1174
P/D 1504
H 455




NUMBERS4

L/W 1288
P/D 1516
H 455




NUMBERS5

L/W 1155
P/D 1477
H 455




NUMBERS6

L/W 1234
P/D 1504
H 455




NUMBERS7

L/W 1200
P/D 1476
H 455




NUMBERS8

L/W 1230
P/D 1504
H 455



NUMBERS9

L/W 1234
P/D 1504
H 455



NUMBERS0

L/W 1032
P/D 1400
H 455

Luna


Seduta con piccolo schienale. Schienali e seduta possono essere di colore diverso. Imbottitura e rivestimento in ecopelle ignifuga (Classe IIM - UNI 9175 / Martindale >= 200.000 cicli)

Circular seat with small backrest. Backrest and seat can be in different colors. Upholstery and covering in fire-retardant eco-leather (BS5892 Source 0 & 1 / Martindale >= 200.000 cycles).

Seduta / Seat
Ecopelle standard
Standard eco-leather



Schienale / Backrest
Ecopelle standard
Standard eco-leather



LUNA
ø 1800
H 420-665



Rari Nantes

location: Borgo Valsugana, Italy
project: Fit Interiors

Bingo



Planet Wellness Village

location: Lugano, Switzerland
project: arch. Silvia Giannini, Studio RAL3020

Pouf rotondo con cuciture a vista in ecopelle ignifuga (Classe 1IM - UNI 9175 / Martindale $\geq$ 200.000 cicli).


Round pouf with visible stitching in fire-retardant eco-leather (BS5892 Source 0 & 1 / Martindale $\geq$ 200.000 cycles).

Seduta / Seat

Ecopelle standard
Standard eco-leather



THE SWATCH BOOK



BINGO

Ø 610
H 470

Puff



Hale Country Club & SPA


location: Hale, United Kingdom
project: Fit Interiors

Pouf trapezoidale in ecopelle ignifuga (Classe 1IM - UNI 9175 / Martindale >= 200.000 cicli).

Trapezoidal pouf in fire-retardant eco-leather (BS5892 Source 0 & 1 / Martindale >= 200.000 cycles)

Seduta / Seat
Ecopelle standard
Standard eco-leather

 THE SWATCH BOOK



PUFF
L/W 450
P/D 450
H 485



Birillo

> arch. Simone Micheli



Harbour Club Chelsea

location: London, United Kingdom
project: Hadfield, Cawkwell, Davidson

Pouf cilindrico con cuciture a vista in ecopelle ignifuga (Classe 1IM - UNI 9175 / Martindale $\geq$ 200.000 cicli).


Cylindric pouf with visible stitching in fire-retardant eco-leather (BS5892 Source 0 & 1 / Martindale $\geq$ 200.000 cycles).

Seduta / Seat

Ecopelle standard
Standard eco-leather



THE SWATCH BOOK



BIRILLO

ø 350
H 450


Perla

Serie composta da poltrona e divani con imbottitura ad alta densità e rivestita con ecopelle ignifuga (Classe 1IM - UNI 9175 / Martindale >= 200.000 cicli).


Series composed of armchair and sofas with high density upholstery and covered with fireproof eco-leather (BS5892 Source 0 & 1 / Martindale >= 200.000 cycles).

Seduta / Seat
Ecopelle standard
Standard eco-leather







DV90
L/W 860
P/D 730
H 630



DV137
L/W 1370
P/D 730
H 630



DV161
L/W 1610
P/D 730
H 630



DV194
L/W 1940
P/D 730
H 630




WAP Wellness and Pool
location: Varese, Italy
project: Fit Interiors

Pilar


Vaso in polietilene, finitura opaca, 100% riciclabile, di varie dimensioni. Per esterni e interni.

Polyethylene vase, 100% recyclable, matt finish in various sizes. For indoor and outdoor use.


Vaso / Vase
Polietilene opaco
Matt polyethylene




White Anthracite Oriental red Petrol blue Dove grey




PILAR 1
L/W 400
P/D 400
H 400



PILAR 2
L/W 550
P/D 550
H 550



PILAR 3
L/W 400
P/D 400
H 850



PILAR 4
L/W 450
P/D 450
H 1000



Apple Fit
location: Varese, Italy
project: Fit Interiors

Specchi Mensole e Lavelli

Mirrors Shelves and Sinks

234	240	244	246	250
Sharp	Modus	Velvet	Anima	Dot Dot
				
252	256	258	262	266
Frame	Aster	Halo	Circe	Jupiter
				
267	268	269	272	273
Vesta	Saturno	Just	Jump	Base
				

274	275	276	274-277
Block	Shape	Simple	Rubio
			

Sharp



Holmes Place

location: Hamburg, Germany
project: Fit Interiors

Specchiera da appendere con illuminazione perimetrale LED, con mensola nelle finiture da catalogo e boccole portaphon in alluminio, staffe colore nero.

- (C) 6000 K luce fredda
- (N) 4000 K luce naturale
- (W) 3000 K luce calda


Single wall hung vanity unit with LED backlit mirror, hairdryer holder MFC shelf. Aluminium hairdryer holder and black metal stirrups included.

- (C) 6000 K cool white
- (N) 4000 K natural white
- (W) 3000 K warm white


Mensola / Shelf
Finiture standard
Standard finishes



Specchio / Mirror
Argento
Silver



SHARPLS-24V
L/W 700
P/D 300
H 1970



SHARPLD-24V
L/W 1400
P/D 300
H 1970



Specchiera da appendere composta da pannello con specchio incollato e mensola in acciaio inox con fori portaphon


Wall hung vanity unit with mirror glued on panel and stainless steel shelf with hairdryer holder

Pannello / Panel
Finiture standard
Standard finishes




Specchio / Mirror
Argento
Silver

Mensola / Shelf
Acciaio inox
Stainless steel



SHARPFPS-24
L/W 700-1100
P/D 201
H 2070



SHARPFDP-24
L/W 1320-1500
P/D 201
H 2070




Mensola in acciaio inox con fori portaphon
Stainless steel shelf with hairdryer holders

Mensola / Shelf
Acciaio inox
Stainless steel



SHARPFPSMEN
L/W 620
P/D 165



SHARPFDMEN
L/W 1240
P/D 165

Sharp

Gora

location: Naples, Italy
project: arch. Massimo Giordano



Modus

> arch. Franco Scaglia



- Specchiere con base di appoggio
- Struttura in pannelli MFC spessore 18 mm e laminato
 - Bordatura in ABS con colla poliuretanica
 - Anello porta phon
 - Predisposizione per cablaggio elettrico
 - Telaio in metallo verniciato
 - Specchio sagomato

- Mirrors with supporting base
- Structure in MFC panels 18 mm thick and laminated
 - ABS edging with polyurethane glue
 - Hairdryer ring
 - Predisposition for electrical wiring
 - Painted metal frame
 - Shaped mirror

Base / Base
Finiture standard
Standard finishes



THE SWATCH BOOK

Telaio/ Frame

Acciaio
Steel




Nero
Black

Specchio / Mirror




Argento
Silver



MODUS P


L/W 600
P/D 230
H 2100



MODUS CS

L/W 600
P/D 420
H 2100





Struttura / Structure

Finiture standard
Standard finishes



THE SWATCH BOOK


Specchio / Mirror



Argento
Silver

Specchiera da appendere composta da due specchi e mensola con due boccole portaphon in alluminio. Prese fissate alla struttura, a norma per i paesi di destinazione.

Wall hung vanity unit with 2 mirrors, shelf with 2 aluminium hairdryer slots, sockets fixed to the structure. Electrical components according to each destination countries' laws.



ACCSPES-24

L/W 1100
P/D 236
H 2072




Specchiera da appendere composta da due specchi e mensola con due boccole portaphon in alluminio

- Due specchi incollati su pannello in MFC
- Mensola in laminato
- Due boccole portaphon in alluminio
- Top in laminato con due faretti LED, colore a scelta:
(N) 4000 K luce naturale,
(W) 3000 K luce calda,
- Prese fissate alla struttura, a norma per i paesi di destinazione
- Altezza di montaggio 900 mm


Wall hung vanity unit with 2 mirrors, shelf with 2 aluminium hairdryer slots, sockets fixed to the structure

- With 2 mirrors glued on a MFC panel
- Shelf in laminate
- 2 aluminium hairdryer slots
- Top in laminate and 2 LED spotlights, colour to be chosen among:
(N) 4000 K natural white
(W) 3000 K warm white
- Sockets fixed to the structure, electrical components according to each destination countries' laws
- Installation height 900 mm



ACCSPT-24V

L/W 1100
P/D 236
H 2072



Indigo Fitness Club

location: Zurich, Switzerland
project: Fit Interiors

Anima





APC Padel

location: Bergamo, Italy
project: Fit Interiors


- Specchiera con scritta e retro, entrambi illuminati da luce LED
- Telaio in metallo e acciaio
 - Spessore specchio 4 mm
 - Pellicola di sicurezza
 - Illuminazione interna LED ad alta efficienza
 - Illuminazione perimetrale esterna con LED
 - Completo di diffusore in pvc opalino
 - (N) 4000 K luce naturale
 - Alimentatore da 220/240Vac - 12Vdc, certificato CE protezioni IP44
 - Sorgente luminosa di classe energetica F
 - Le parti elettriche e le sorgenti LED non sono adatte per l'uso con sensori di passaggio

- Backlit mirror with lighted writing, both illuminated by LED light
- Metal and steel frame
 - Safety film
 - Mirror thickness 4 mm
 - Internal high-efficiency LED lighting
 - External perimeter lighting with LEDs
 - Complete with opal pvc diffuser
 - (N) 4000 K natural white
 - 220/240Vac - 12Vdc power supply, CE certified, IP44 protections
 - Light source container element in energy class F
 - Electrical parts and led sources are not suitable in presence of sensors, including sensor of movement

Specchio / Mirror



Argento
Silver



ANIMA1-25


ø 750
P/D 32



ANIMA2-25

ø 750
P/D 32

Dot Dot




- Specchio con bulbi LED
- Sensore infrarosso
 - Specchio spessore 5 mm
 - Pellicola di sicurezza
 - Funzione antiappannamento
 - Montaggio orizzontale
 - LED doppia colorazione 4000 o 6000 K
 - 220V. CE. IP44
 - Sorgente luminosa di classe energetica A
 - Le parti elettriche e le sorgenti LED non sono adatte per l'uso con sensori di passaggio
- Mirror with LED bulbs
- Infrared sensor
 - Mirror thickness mm 5
 - Safety film
 - Anti-fog function
 - Horizontal mounting
 - LED to choose between 4000 or 6000 K
 - 220V. CE. IP44
 - Light source container element in energy class A
 - Electrical parts and led sources are not suitable in presence of sensors, including sensor of movement

Specchio / Mirror



Argento
Silver



DOT DOT S

L/W 600
P/D 70
H 800

Gora

location: Naples, Italy
project: arch. Massimo Giordano

Frame



Klab

location: Prato, Italy
project: arch. Camilla Lapucci

Frame



Lamiya Wellness & Family Club

location: Huelva, Spain
project: Fit Interiors

- Specchiera con retro illuminazione perimetrale LED


 - Telaio in pvc grigio per le forme rettangolari e in ABS nero per le forme rotonde
 - Specchio spessore 4 mm
 - Pellicola di sicurezza
 - Striscia LED IP65
 - Luce naturale 4000 K
 - Alimentatore da 220/240 Vac – 12 Vdc, certificato CE, protezioni IP44
 - Specchi rettangolari fissaggio orizzontale e verticale
 - Sorgente luminosa di classe energetica C
 - Le parti elettriche e le sorgenti LED non sono adatte per l'uso con sensori di passaggio
- Mirror with LED perimetral backlighting

 - Gray pvc frame for rectangular shapes and in black ABS for the round shapes
 - Mirror thickness 4 mm
 - Safety film
 - Strip LED IP65
 - 4000 K natural light
 - 220/240 Vac power supply - 12 Vdc, CE certified, with P44 protection
 - Horizontal or vertical fixing
 - Light source container element in energy class C
 - Electrical parts and led sources are not suitable in presence of sensors, including sensor of movement


Specchio / Mirror




Argento
Silver




FRAME1-25
L/W 600
P/D 30
H 600




FRAME2-25
L/W 700
P/D 30
H 600




FRAME3-25
L/W 900
P/D 30
H 600



FRAME60-25
ø 600
P/D 30



FRAME75-25
ø 750
P/D 30



FRAME5090-25
L/W 500
P/D 30
H 900

Aster



Specchiera con sabbiatura perimetrale retroilluminata LED e diffusore perimetrale in pvc semi trasparente

- Telaio in metallo verniciato a polvere
- Specchio spessore 4 mm
- Pellicola di sicurezza
- Luce naturale 4000 K
- LED ad alta efficienza IP65
- Alimentatore da 220/240Vac - 12 Vdc, certificato CE protezioni IP44 e SELV
- Sorgente luminosa di classe energetica C
- Le parti elettriche e le sorgenti LED non sono adatte per l'uso con sensori di passaggio


Mirror with backlit LED sandblasting perimeter and perimeter diffuser in semi transparent pvc

- Powder coated metal frame
- Mirror thickness 4 mm
- Safety film
- 4000 K natural light
- High efficiency LED, IP65
- 220/240 Vac power supply - 12 Vdc, CE certified, with P44 and SELV protection
- Light source container element in energy class C
- Electrical parts and led sources are not suitable in presence of sensors, including sensor of movement

Specchio / Mirror



Argento
Silver



AST75-25

ø 750
P/D 32

Virgin Active

location: Rome, Italy
project: Studio AArchitetti Noorda Schiavon

Halo



- Specchio rotondo retro-illuminato a LED e cornice in metallo
- Cornice in lamiera verniciata oro nero opaco
 - Spessore specchio 4 mm
 - Pellicola di sicurezza
 - (N) 4000 K luce naturale
 - Striscia LED ad alta efficienza da 7.5W/metro e da 170 lm/W, IP65
 - Alimentatore da 220/240Vac – 12 Vdc, certificato CE, IP44
 - Sorgente luminosa di classe energetica C
 - Le parti elettriche e le sorgenti LED non sono adatte per l'uso con sensori di passaggio

- Round backlit LED mirror with metal frame
- Frame made of sheet metal painted in matte black gold
 - Mirror thickness: 4 mm
 - Safety film
 - (N) 4000 K natural light
 - High-efficiency LED strip: 7.5W/m, 170 lm/W, IP65
 - Power supply: 220/240Vac – 12 Vdc, CE certified, IP44
 - Light source container element in energy class C
 - Electrical parts and led sources are not suitable in presence of sensors, including sensor of movement

Cornice / Frame

Metallo

Metal



Oro nero opaco


Matt black gold

Specchio / Mirror



Argento


Silver



HALOA600

ø 604

P/D 45



Circe




- Specchio sagomato retro-illuminato a LED e cornice in metallo

 - Cornice in lamiera verniciata oro nero opaco
 - Spessore specchio 4 mm
 - Pellicola di sicurezza
 - (N) 4000 K luce naturale
 - Striscia LED ad alta efficienza da 7.5W/metro e da 170 lm/W, IP65
 - Alimentatore da 220/240Vac – 12 Vdc, certificato CE, IP44
 - Sorgente luminosa di classe energetica C
 - Le parti elettriche e le sorgenti LED non sono adatte per l'uso con sensori di passaggio
- Shaped backlit LED mirror with metal frame

 - Frame in sheet metal painted matte black gold
 - Mirror thickness: 4 mm
 - Safety film
 - (N) 4000 K natural light
 - High-efficiency LED strip: 7.5W/m and 170 lm/W, IP65
 - Power supply: 220/240Vac – 12 Vdc, CE certified, IP44
 - Light source container element in energy class C
 - Electrical parts and led sources are not suitable in presence of sensors, including sensor of movement

Cornice / Frame	Specchio / Mirror
Metallo Metal	
	
Oro nero opaco Matt black gold	Argento Silver



CIRCEA9050
L/W 504
P/D 45
H 904



Jupiter

Specchio tondo con cornice in metallo verniciato a polvere

- Cornice in colore nero
- Cintura in ecopelle in colore nero
- Spessore specchio 4 mm
- Pellicola di sicurezza

Round mirror with powder coated metal frame

- Frame in two colors, black and white
- Eco-leather belt in two colors: black and white
- Mirror thickness 4 mm
- Safety film

Cornice e cintura / Frame and belt
Metallo e pelle
Metal and leather




Nero
Black

Specchio / Mirror



Argento
Silver



JUP600-25

L/W 600
P/D 32
H 900



Palmarès Devur Club

location: Bari, Italy
project: Fit Interiors

Vesta

Specchio con cornice in poliuretano espanso bordato con

- pellicola di colore nero opaco
- Specchio spessore 4 mm
- Fissaggio orizzontale o verticale
- Pellicola di sicurezza

Mirror with polyurethane foam frame

- edged with matte black film
- Mirror thickness 4 mm
- Horizontal or vertical fixing
- Safety film

Cornice / Frame
Poliuretano
Polyurethane




Nero opaco
Satin black

Specchio / Mirror




Argento
Silver




VES8060-25

L/W 800
P/D 25
H 600



VES70100-25

L/W 1000
P/D 25
H 700



VES80110-25

L/W 1100
P/D 25
H 800




Saturno


- Specchio con cornice in alluminio
- Cornice in due colori, nero e bianco
 - Spessore specchio 5 mm
 - Pellicola di sicurezza

- Mirror with aluminium frame
- Frame in two colors: black and white
 - Mirror thickness 5 mm
 - Safety film

Cornice / Frame
Alluminio
Aluminum



Specchio / Mirror




SAT9038
L/W 380
P/D 23
H 900

Just


- Specchio filo lucido
- Pellicola di sicurezza
 - Spessore specchio 4 mm
 - Fissaggio orizzontale o verticale

- Wall hung mirrors
- Safety film
 - Mirror thickness 4 mm
 - Horizontal or vertical fastening


Specchio / Mirror



JUST1
L/W 800
P/D 15
H 650



JUST2
L/W 1000
P/D 15
H 650



JUST3
L/W 1200
P/D 15
H 650



MoveMed

location: Milan, Italy
project: Antitetico

Hop House of Padel

location: Brescia, Italy
project: Fit Interiors

Country Club

location: Bari, Italy
project: Fit Interiors



Jump

Mensola in finto spessore h 70 mm, con struttura in MDF laminato e boccole portaphon in alluminio.


Floating shelf with aluminium hair-dryer slots, 70 mm thick with laminated MDF structure.

Mensola / Shelf

Finiture standard
Standard finishes



THE SWATCH BOOK



ACCMES

L/W 2000
P/D 250
H 70




Mensola spessore h 41 mm, con struttura in MDF laminato e boccole portaphon in alluminio.
Gambe in acciaio verniciato, mensola max 2 mt.

Floating shelf with aluminium hair-dryer slots, 41 mm thick with laminated MDF structure.
Painted steel legs, shelf length up to 2 m

Mensola / Shelf

Finiture standard
Standard finishes



THE SWATCH BOOK

Gambe / Legs


Acciaio verniciato
Painted steel




Metallic
grey



Black



White



ACCMEN-20

L/W 2000
P/D 300
H 994



Base

Mobile lavello in multistrato marino laminato (Lavabo e miscelatore non inclusi). Ante con cerniere ammortizzate e maniglie a gola.


Sink cabinet made in laminated marine plywood (Sink and water tap not included). Doors with braked hinges and groove handles.

Mobile / Cabinet

Finiture standard
Standard finishes




THE SWATCH BOOK




ACCSINKD100

L/W 1000
P/D 550
H 750



ACCSINKD150

L/W 1500
P/D 550
H 750



ACCSINKD200

L/W 2000
P/D 550
H 750

Mensola in multistrato marino laminato (Lavabo e miscelatore non inclusi)


Shelf in laminated marine plywood (Sink and water tap not included)

Mensola / Shelf

Finiture standard
Standard finishes



THE SWATCH BOOK



ACCSINK

L/W 2000
P/D 550
H 70




Block


Lavabo in ceramica, installazione a parete con piletta in ceramica a scarico libero

Wall-mounted ceramic washbasin with free discharge ceramic drain

Lavabo / Sink
Colori opachi
Matt colors




09
Bianco




BLOCK50

L/W 500
P/D 350
H 135




BLOCK60

L/W 600
P/D 450
H 135



BLOCK80

L/W 800
P/D 450
H 135



BLOCK120

L/W 1200
P/D 450
H 135

Miscelatori / Faucets



CRL
Cromato
Chrome



RUBIO1CRL


Miscelatore monocomando soprapiano per lavabo, comando a leva.
Countertop lever mixer tap.

Shape

Lavabo in ceramica, installazione in appoggio con piletta in ceramica a scarico libero.

Ceramic countertop sink with drain and free discharge

Lavabo / Sink
Colori opachi
Matt colors




09
Bianco



08
Nero



19
Grigio



37
Rosa



45
Laguna



47
Malva



SHAPE60

L/W 600
P/D 370
H 120



SHAPE40

ø 400
H 120



SHAPE65

L/W 650
P/D 350
H 120

Miscelatori / Faucets



CRL
Cromato
Chrome



RUBIO2CRL

Miscelatore monocomando, soprapiano per lavabo, comando a leva.
Countertop lever mixer tap.

Simple



Mensola con lavello ad incasso in PVC laminato con vasca in acciaio compreso fondello estraibile. Due versioni, con foro per miscelatore in appoggio, senza foro per miscelatore a parete.


Sink shelf with integrated sink, made in laminate PVC with inox steel basin. Removable bottom included. Two versions, with hole for countertop faucets, without hole for wall mounted faucets.

Lavabo e mensola / Sink and shelf

Finiture standard
Standard finishes



Fenix




0032
White



0720
Black




0724
Grey




SIMPLE 1

L/W 800
P/D 500
H 140




SIMPLE 2

L/W 1600
P/D 500
H 140




SIMPLE 3

L/W 2400
P/D 500
H 140




SIMPLE 1CF

L/W 800
P/D 500
H 140



SIMPLE 2CF

L/W 1600
P/D 500
H 140



SIMPLE 3CF

L/W 2400
P/D 500
H 140

Miscelatori / Faucets




CRL
Cromato
Chrome



RUBIO1CRL

Miscelatore monocomando sopra piano
per lavabo, comando a leva.
Countertop lever mixer tap.

Box Doccia e Toilet Shower and Toilet Cubicles

282	288	291	292	294
Studio S	Studio T	Nexus S	Nexus T	Eha-mat
				

Studio



David Lloyd

location: Modena, Italy
project: arch. Luciano Messina

Sistema modulare

- Pareti divisorie fissate con due morsetti alla parete di fondo, piedino a terra, morsetto al tubo strutturale superiore.
- Ante dotate di sistema di apertura a bilico con ritorno automatico, costituito da: piedino fissato a terra, morsetto ammortizzato fissato al tubo strutturale superiore.
- Tubo orizzontale per l'ancoraggio superiore di pareti divisorie e ante, con supporti terminali fissati a parete.

Materiali

- Laminato HPL stratificato, spessore 10 mm, classificato come pannello autoportante con reazione al fuoco Euro classe Bs1-d0 e rilascio formaldeide classe E1, con angoli raggiati e bordi perimetrali bisellati
- Vetro temperato stratificato con pellicola PVB colore a scelta, spessore 5+5 mm, trattamento termico HST (Heat Soak Test), con angoli raggiati e bordi perimetrali bisellati.
- La specifica ferramenta strutturale, interamente disegnata da fit interiors, è realizzata in alluminio estruso o lavorato al tornio. Il morsetto superiore per anta è ammortizzato tramite alette in acciaio armonico.


Modular system

- Partition walls fixed with two clamps to the back wall, foot on the ground, clamp to the upper structural pipe.
- Doors equipped with pivoting opening system with automatic return, consisting of: foot fixed to the ground, shock-absorbing clamp fixed to the upper structural tube.
- Horizontal tube for upper anchorage of partition walls and doors, with end supports fixed to the wall.

Materials

- HPL laminate, thickness 10 mm, classified as self-supporting panel with reaction to fire Euro class Bs1-d0 and formaldehyde release class E1, with rounded corners and bevelled edges
- Laminated tempered glass with PVB colour film of choice, thickness 5+5 mm, HST (Heat Soak Test) heat treatment, with rounded corners and bevelled edges.
- The specific structural hardware, entirely designed by fit interiors, is made of extruded or lathe machined aluminium. The upper sash clamp is cushioned by harmonic steel fins.



Studio S



David Lloyd
location: Milan, Italy
project: arch. Luciano Messina


Ante e divisori/ Doors and partitions

Vetro / Glass

				
Opal White	RAL 9005 Black	RAL 3001 Red	RAL 1015 Light Ivory	RAL 5023 Universe Blue

HPL

			
411 White	431 Red	879 Grey	850 Blue



Alcune possibili combinazioni
Possible compositions

A



B




C



Studio S

- Box doccia con ante e divisori in vetro o HPL
- Maniglia acciaio inox per HPL e vetro
 - Gancio acciaio inox per accappatoio, per HPL e vetro
 - Fermaporta per anta doccia in vetro

- Shower cubicle with doors and partition in glass or HPL
- Stainless steel handle for HPL and glass
 - Stainless steel hook for towels, for HPL and glass
 - Door stopper to prevent slamming for glass door







David Lloyd

location: Milan, Italy
project: arch. Luciano Messina

Ante e divisori/ Doors and partitions

Vetro / Glass

				
Opal White	RAL 9005 Black	RAL 3001 Red	RAL 1015 Light Ivory	RAL 5023 Universe Blue

HPL

			
411 White	431 Red	879 Grey	850 Blue




Studio T

Box toilet con ante e divisori in vetro o HPL.

- Maniglia e serratura libero/occupato
- Profili di battuta in acciaio inox

Toilet cubicle with doors and partition in glass or HPL

- Handle and vacant/occupied lock
- Closing profile in stainless steel



Nexus

- Le pareti modulari e i box della serie Nexus sono realizzati con robuste lastre di laminato massello HPL (High Pressure Laminate) dello spessore di 14 mm (certificato B-s1, d0) ideale per resistere all'acqua, al vapore e agli agenti chimici.
 - Il rialzo da terra dei pannelli è ottenuto tramite piedi in acciaio inox, in posizione arretrata all'interno del box, a sostegno del divisorio.
 - I profili per il sistema di fissaggio a parete sono in alluminio anodizzato con profilo sagomato "antisporco", così come il traverso superiore di collegamento, non visibile dall'esterno.
 - Le porte sono dotate di cerniere con molle interne regolabili per il ritorno della porta in accostamento, permettendo di mantenere il locale sempre in perfetto ordine.
 - Le serrature sono in acciaio inox con dispositivo libero/occupato azionabile dall'esterno in caso di emergenza.
 - Completano le finiture dei box un estruso in PVC morbido antinfortunio ed un coestruso rigido/morbido per la battuta della porta
- The modular walls and cubicles of the Nexus series are made from sturdy 14 mm thick solid HPL (High Pressure Laminate) panels (certified B-s1, d0), ideal for resistance to water, steam, and chemical agents.
 - The raised panel system is supported by stainless steel feet, set back inside the cubicle to support the partition discreetly.
 - Wall mounting profiles are made of anodized aluminum with a shaped "anti-dirt" profile, as is the upper connecting rail, which is hidden from external view.
 - Doors are equipped with adjustable hinges with internal springs that allow the door to return to the closed position, helping to keep the space tidy.
 - Locks are made of stainless steel and include an emergency-operated occupied/free indicator system.
 - Final finishes include a soft anti-shock PVC extrusion and a rigid/soft co-extruded seal for the door stop.



Nexus S

Ante e divisori/ Doors and partitions


HPL			
406 Bianco Primavera	431 Rosso	879 Grigio Grafite	859 Blu Faenza



Alcune possibili combinazioni
Possible compositions

Nexus S
Box doccia con ante e divisori in HPL
Pomolo in acciaio inox e gancio per accappatoio opzionale


Shower cubicle with doors and partition in HPL.
Stainless steel handle and hook for towels (optional)



Nexus T




Ante e divisori/ Doors and partitions

HPL			
			
406 Bianco Primavera	431 Rosso	879 Grigio Grafite	859 Blu Faenza



Nexus T
Box toilet con ante e divisori in HPL
Pomolo in acciaio inox e serratura libero / occupato

Toilet cubicle with doors and partition in HPL
Stainless steel handle and vacant/occupied lock



Eha-Mat



Get Fit location: Milan, Italy
project: arch. Livio Leardi / Fit Interiors

EHA-MAT è prodotto in uno speciale materiale sintetico con caratteristiche batteriostatiche e fungicide. Evita pertanto la proliferazione di microorganismi. E' facilmente lavabile ed offre un'altissima resistenza agli agenti chimici. Il materiale antiscivolo in cui è prodotto garantisce una tenuta ottimale sia sulla pavimentazione che sulla parte superiore a contatto con gli utenti. La trama a grata consente un immediato deflusso dell'acqua. Risponde alle norme di sicurezza antiscivolo tedesche **GUV N.2617/DIN 51097** (test Gruppo A).
Il materiale ad altissima resistenza con cui è prodotto garantisce ad EHA-MAT una durata pressoché illimitata, sia dal punto di vista dei colori che da quella del degrado del materiale stesso.

EHA-MAT is manufactured in a special synthetic material with fungicide and bacteriostatic characteristics. It therefore avoids the proliferation of microorganisms. It is easily washable and offers very high resistance to chemicals agents. The anti-slip material guarantees an optimal seal on both the flooring and on the top part, in contact with the users. The grating pattern allows for an immediate outflow of water. It meets safety standards German anti-slip **GUV No. 2617/DIN 51097** (Group A test). The very high strenght material guarantees to EHA-MAT almost an unlimited lifetime, from both the point of view of the colors and that one of degradation of the material itself.

Colori / Colors




Beige



Grigio
Grey



Rosso (su richiesta)
Red (on request)




Azzurro (su richiesta)
Blue (on request)




Verde (su richiesta)
Green (on request)

EM60
Dimensioni rotolo
Roll dimensions




5.000




600

EM80
Dimensioni rotolo
Roll dimensions




5.000




800

EM100
Dimensioni rotolo
Roll dimensions



5.000



1000



The Swatch Book

Finiture
Materiali
Colori
Finishes
Materials
Colors

The Swatch Book

Pannelli e laminati / Panels and laminates

Legno / Wood



S172
CORTECCIA



K4410AW
NATIVE OAK LIGHT



AA8
ROVERE LIMBURGO MIELE



S073
ST JAMES PARK SHERWOOD



S212
CORTECCIA



LK48
NOCE LEUCA MATRIX



K5413RO
QUERCIA ENDGRAIN COGNAC



A892
MURANO



4043
NOCE ADIGE



MILLENNIUM BLACK


Cemento / Concrete



44374DP
CEMENTO GRIGIO OPALE



44407DP
CEMENTO PLATINO



44405DP
CEMENTO GRIGIO ARDESIA

Pannelli e laminati / Panels and laminates

Metallo / Metal



U005
URBAN IRON

Tessuto e pelle / Fabric and Skin



FA44
KAKI PENELOPE



FA46
GUERRILLA PENELOPE



FA33
MAYA BRONZE PENELOPE



B073
TOTAL WHITE PRIMOFIORE

Traccia / Stripe



UB 55
TRACCIA



UB 45
TRACCIA




UB 53
TRACCIA



LS71
TRACCIA

Pannelli e laminati / Panels and laminates

Tinta unita / Solid Color



WHITE WAX



6577ST
CASHMERE



7063
PASTEL GREEN SU



K512
NATIVE PINK SU



0134
SUNSHINE BS




U321
CHINA RED



D143PS30
GREY



0244
PETROL SU



MATT BLACK WAX

Cassa armadi / Structure lockers




6577ST
CASHMERE



D143PS30
GREY

Finiture tridimensionali / Three-dimensional finishes

Armadi People T / People T Lockers



FA84
BRONZE CHEOPE




FB45
MOSAICO CLEAR



S195
OGIJIMA JIOMETORI

Cassa armadi / Structure lockers



6577ST
CASHMERE



D143PS30
GREY

Pannelli e laminati / Panels and laminates

Finiture metallo / Metal finishes

Armadi Next / Next Lockers



454
ROSE GOLD




M4522
STAINLESS STEEL



M2052
COPPER

Cassa armadi / Structure lockers



MATT BLACK WAX


Legno a doghe / Slatted wood

Armadi Futura Wood / Futura Wood Lockers
Bancone Reception Opera / Opera Reception Counter




BROWN

Cassa armadi / Structure lockers



MATT BLACK WAX

Maniglia in alluminio / Handle in aluminum



NERO
BLACK

Policarbonato / Polycarbonate


Armadi Collective / Collective Lockers

Anta in policarbonato / Doors in polycarbonate




TRANSPARENT

Cassa armadi / Structure lockers




MATT BLACK WAX




WHITE WAX

Cassa armadi (ignifuga) / Structure lockers (fire retardant)



MATT BLACK WAX




WHITE WAX

Alluminio / Aluminum

Armadi Factory / Factory Lockers
Panca Tecno / Tecno Bench



MATT BLACK



RAL 9010
WHITE



RAL 8028
BROWN (*)



RAL 3002
RED (*)




RAL 5023
BLUE (*)



RAL 3014
PINK (*)

(*) Factory, minimo 15 armadi / Factory, 15 lockers minimun

Cassa armadi / Structure lockers



6577ST
CASHMERE



D143PS30
GREY

The Swatch Book

Laminati / Laminates

Bancone Bar Start Up / Start Up Bar Counter



OLIVA




SALVIA



PETROLIO



STROMBOLI




BIANCO LUCIDO



GIALLO LUCIDO



ROSSO LUCIDO



NERO LUCIDO



BORDEAUX



PAPIRO



MUSCHIO



PIOMBO

Acciaio / Steel

Bancone Reception Uniko / Uniko Reception Counter




CALAMINA



CORTEN

Krion

Bancone Reception Uniko / Uniko Reception Counter



WHITE


The Swatch Book

Ceramica / Ceramics

Bancone Reception Universal / Universal Reception Counter




CALACATTA GOLD
POLISHED




NOIR DESIR
POLISHED

Fenix

Banconi Reception Universal / Universal Reception Counters Banconi Reception Uniko / Uniko Reception Counters Lavabo Simple / Simple Sink



0032
WHITE



0720
BLACK



0724
GREY

HPL

Box Doccia e Toilet Studio / Showers and Toilet Cubicles Studio



411
WHITE



431
RED




879
GREY



850
BLUE

Box Doccia e Toilet Nexus / Showers and Toilet Cubicles Nexus



406
BIANCO PRIMAVERA



431
ROSSO



879
GRIGIO GRAFITE



859
BLU FAENZA

The Swatch Book

Vetro / Glass

Armadi Etoile / Etoile Lockers

RAL 9010
PURE WHITE

RAL 1015
LIGHT IVORY

RAL 1023
TRAFFIC YELLOW

RAL 3014
ANTIQUÉ PINK

RAL 4005
BLUE LILAC

RAL 7004
SIGNAL GREY

RAL 3001
RED

RAL 5023
UNIVERSE BLUE

RAL 6029
MINT GREEN

RAL 7015
SLATE GREY

RAL 5013
COBALT BLUE

RAL 9005
BLACK

Cassa armadi / Structure lockers

6577ST
CASHMERE

D143PS30
GREY

Box Doccia e Toilet Studio / Showers and Toilet Cubicles Studio

OPAL WHITE

RAL 1015
LIGHT IVORY

RAL 3001
RED

RAL 5023
UNIVERSE BLUE

RAL 9005
BLACK

The Swatch Book

Ecopelle / Eco-leather

101
BEIGE

44
KAKI

600
LIGHT GREY

27
LIGHT GREEN

416
TAUPE

603
DARK GREY

502
GIALLO

36
BLUE

80
RED

505
OCRA

51
GREEN FOREST

602
GRIGIO ANTRACITE

702
BLU SCURO

11
BROWN

42
BLACK

INCA

COMPOSIZIONE / COMPOSITION
88% VINYL / 8% PES / 4% CO

Martindale >= 200.000 cicli / cycles	Ignifugo Flame retardant EU: UNI EN ISO 1021 Part 1 & Part 2 IT: Classe 1IM - UNI 9175 UK: BS5892 Source 0 & 1 US: CAL TB 117 US: FMVSS 302	Resistente all'acetone Acetone resistant UNI 4818 - P.16
Resistenza salinità (acqua marina) Salinity resistant (sea water) UNI EN ISO 105-E02:2013	Resistente alla candeggina Bleach-resistant UNI EN ISO 105-X12:2003 Impiego 5% ipoclorite di sodio Use of 5% sodium hypochlorite	Resistente all'alcohol Alcohol resistant UNI EN ISO 105-X12:2003 Impiego di alcool Use of alcohol
Resistenza all'urina Urine resistant UNI EN ISO 105-X12:2003 Impiego di urea 1,2 gr/lt Use of urea 1.2 g/L	Accelerazione dell'usura Resistenza all'idrolisi Accelerating degradation Hydrolysis resistance UNI EN ISO 1419/C-1995E Tropical & Jungle test	Prova allo xeno Xenon test UNI EN ISO 4892-2 B1 outdoor UNI EN ISO 4892-2 B2 indoor



Headquarter

Gruppo P&G srl
Via Emilia, n.3916
47020 Longiano (FC), Italy
tel. (+39) 0547 58746
info@gruppopeg.com

follow us



**fit
interiors**

furniture for gyms,
health and golf clubs,
spa&wellness, offices, hotel,
medical and corporate

www.fitinteriors.com